U.S.
Healt
Healt
1A9 C
6325
Baltin
Official
Penalt

The final report, entitled "Reducing the Inappropriate Use of Inpatient Medical, Surgical, and Pediatric Services," received in March 1986, is available from the National Technical Information Service, accession number PB87-112041/AS. It describes the study methodology, reports statistical tests of interrater reliability of the nurse reviewers, reports the effectiveness of the feedback in modifying hospital and physician behavior, analyzes the use of AEP overrides for the first time, addresses the content validity of the instrument, reports on the development and testing of the revisions to the instrument, and describes interrater reliability in applying the instrument to provider site (location) of surgery. The report is 314 pages and includes a bibliography, tables, charts, and graphs to support the analyses.

Appropriateness of Hospitalization: A Comparative Analysis of Reliability and Validity of the Appropriateness Evaluation Protocol and the Standardized Medreview Instrument

Project No.: 18-C-98582/5-02
Period: July 1984 - September 1986
Funding: $ 353,280
Award: Cooperative Agreement
Awardee: Michigan Health Care Education and Research Foundation, Inc.
600 Lafayette East
Detroit, Mich. 48226
Ira Strumwasser, PI
Project Officer: James Beebe
Division of Beneficiary Studies

Description: The purpose of this research is to assess the relative reliability and validity of the Appropriateness Evaluation Protocol (AEP) and the Standardized Medreview Instrument (SMI) in identifying the appropriateness of medical, surgical, and gynecological admissions and days of stay in acute-care hospitals. The AEP was developed by Boston University and the SMI by Systemetrics, both under Health Care Financing Administration funding. A second focus is to estimate Detroit area rates of inappropriate care and how these rates are related to hospital characteristics and patient characteristics.

Status: The instruments have been applied to about 1,200 admissions to hospitals in the Detroit area. Results are being analyzed. A final report is expected in June 1987.

ESTIMATES OF NON-ACUTE HOSPITALIZATION: A COMPARATIVE ANALYSIS OF THE APPROPRIATENESS EVALUATION PROTOCOL AND THE STANDARDIZED MEDREVIEW INSTRUMENT

FINAL REPORT - BOOK III OF III

HCFA Grant No. 18-C-98582/5-01 & 02

APPENDIX C
(ESTIMATES OF NON-ESSENTIAL ACUTE CARE HOSPITALIZATION)

ESTIMATES OF NON-ACUTE HOSPITALIZATION: A COMPARATIVE ANALYSIS OF THE APPROPRIATENESS EVALUATION PROTOCOL AND THE STANDARDIZED MEDREVIEW INSTRUMENT

FINAL REPORT - BOOK III OF III

HCFA Grant No. 18-C-98582/5-01 & 02

APPENDIX C
(ESTIMATES OF NON-ESSENTIAL ACUTE CARE HOSPITALIZATION)

ESTIMATES OF NON-ACUTE HOSPITALIZATION:

A COMPARATIVE ANALYSIS OF THE APPROPRIATENESS EVALUATION PROTOCOL AND THE STANDARDIZED MEDREVIEW INSTRUMENT

FINAL REPORT

submitted by

Ira Strumwasser, Ph.D.
Director of Research
Principal Investigator

Nitin V. Paranjpe, Ph.D.
Senior Research Analyst
Project Director

and

The Research Staff of the

Michigan Health Care Education and Research Foundation, Inc.
(A supporting, non-profit, 501(c)(3), health services research
subsidiary of
Health Service Company
a subsidiary of
Blue Cross and Blue Shield of Michigan)

to the

HEALTH CARE FINANCING ADMINISTRATION
OFFICE OF RESEARCH AND DEVELOPMENT

September 1, 1987

HCFA Cooperative Grant No.: 18-C-98582/5-01 & 02

HCFA Project Officer: James Beebe
Office of Research and Development

The opinions, conclusions and proposals in the text are those of the authors and do not necessarily represent the views of the Michigan Health Care Education and Research Foundation, Inc., of Health Service Company, of Blue Cross and Blue Shield of Michigan, or of the Health Care Financing Administration.

APPENDIX C

Appendix to Chapter III

Estimates of Non-Acute Care Tables

ESTIMATION APPENDIX*

UNADJUSTED RATES OF NON-ACUTE CARE OBTAINED BY DIRECT APPLICATIONS OF THE AEP AND SAEP

* Note. The data presented in this appendix represents overestimation of non-acute care. These data must be adjusted by the desired validity coefficient to obtain approximate appropriate rates of non-acute care.

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 1

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	1	3.33	19	63.33	10	33.33	30	100.00
FEMALE	.	.	20	60.61	13	39.39	33	100.00
TOTAL	1	1.59	39	61.90	23	36.51	63	100.00
AGE								
18-25	.	.	2	100.00	.	.	2	100.00
26-40	.	.	3	60.00	2	40.00	5	100.00
41-65	1	2.50	24	60.00	15	37.50	40	100.00
66-	.	.	10	62.50	6	37.50	16	100.00
TOTAL	1	1.59	39	61.90	23	36.51	63	100.00
PAYOR								
MISSING	.	.	1	100.00	.	.	1	100.00
MEDICARE	.	.	13	68.42	6	31.58	19	100.00
MEDICAID	.	.	2	28.57	5	71.43	7	100.00
BCBSM	1	2.78	23	63.89	12	33.33	36	100.00
TOTAL	1	1.59	39	61.90	23	36.51	63	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 2

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	13	52.00	12	48.00	25	100.00
FEMALE	23	74.19	8	25.81	31	100.00
TOTAL	36	64.29	20	35.71	56	100.00
AGE						
18-25	1	33.33	2	66.67	3	100.00
26-40	1	16.67	5	83.33	6	100.00
41-65	22	70.97	9	29.03	31	100.00
66-	12	75.00	4	25.00	16	100.00
TOTAL	36	64.29	20	35.71	56	100.00
PAYOR						
MISSING	.	.	1	100.00	1	100.00
MEDICARE	13	72.22	5	27.78	18	100.00
MEDICAID	3	75.00	1	25.00	4	100.00
BCBSM	20	60.61	13	39.39	33	100.00
TOTAL	36	64.29	20	35.71	56	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 3

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	4	17.39	19	82.61	23	100.00
FEMALE	16	41.03	23	58.97	39	100.00
TOTAL	20	32.26	42	67.74	62	100.00
AGE						
18-25	4	57.14	3	42.86	7	100.00
26-40	3	42.86	4	57.14	7	100.00
41-65	9	26.47	25	73.53	34	100.00
66-	4	28.57	10	71.43	14	100.00
TOTAL	20	32.26	42	67.74	62	100.00
PAYOR						
MISSING	.	.	1	100.00	1	100.00
MEDICARE	3	23.08	10	76.92	13	100.00
MEDICAID	8	47.06	9	52.94	17	100.00
BCBSM	9	29.03	22	70.97	31	100.00
TOTAL	20	32.26	42	67.74	62	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 4

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	20	90.91	2	9.09	22	100.00
FEMALE	15	83.33	3	16.67	18	100.00
TOTAL	35	87.50	5	12.50	40	100.00
AGE						
18-25	2	100.00	.	.	2	100.00
26-40	10	90.91	1	9.09	11	100.00
41-65	16	94.12	1	5.88	17	100.00
66-	7	70.00	3	30.00	10	100.00
TOTAL	35	87.50	5	12.50	40	100.00
PAYOR						
MISSING	2	100.00	.	.	2	100.00
MEDICARE	13	76.47	4	23.53	17	100.00
BCBSM	20	95.24	1	4.76	21	100.00
TOTAL	35	87.50	5	12.50	40	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 5

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	16	64.00	9	36.00	25	100.00
FEMALE	17	60.71	11	39.29	28	100.00
TOTAL	33	62.26	20	37.74	53	100.00
AGE						
18-25	2	100.00	.	.	2	100.00
26-40	2	40.00	3	60.00	5	100.00
41-65	19	61.29	12	38.71	31	100.00
66-	10	66.67	5	33.33	15	100.00
TOTAL	33	62.26	20	37.74	53	100.00
PAYOR						
MEDICARE	13	68.42	6	31.58	19	100.00
MEDICAID	9	64.29	5	35.71	14	100.00
BCBSM	11	55.00	9	45.00	20	100.00
TOTAL	33	62.26	20	37.74	53	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 6

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	12	70.59	5	29.41	17	100.00
FEMALE	19	63.33	11	36.67	30	100.00
TOTAL	31	65.96	16	34.04	47	100.00
AGE						
18-25	3	75.00	1	25.00	4	100.00
26-40	5	55.56	4	44.44	9	100.00
41-65	16	69.57	7	30.43	23	100.00
66-	7	63.64	4	36.36	11	100.00
TOTAL	31	65.96	16	34.04	47	100.00
PAYOR						
MEDICARE	8	72.73	3	27.27	11	100.00
MEDICAID	4	100.00	.	.	4	100.00
BCBSM	19	59.38	13	40.63	32	100.00
TOTAL	31	65.96	16	34.04	47	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 7

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	11	100.00	.	.	11	100.00
FEMALE	14	63.64	8	36.36	22	100.00
TOTAL	25	75.76	8	24.24	33	100.00
AGE						
18-25	1	100.00	.	.	1	100.00
26-40	7	87.50	1	12.50	8	100.00
41-65	7	77.78	2	22.22	9	100.00
66-	10	66.67	5	33.33	15	100.00
TOTAL	25	75.76	8	24.24	33	100.00
PAYOR						
MISSING	1	100.00	.	.	1	100.00
MEDICARE	10	66.67	5	33.33	15	100.00
MEDICAID	.	.	1	100.00	1	100.00
BCBSM	14	87.50	2	12.50	16	100.00
TOTAL	25	75.76	8	24.24	33	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 8

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	8	61.54	5	38.46	13	100.00
FEMALE	18	64.29	10	35.71	28	100.00
TOTAL	26	63.41	15	36.59	41	100.00
AGE						
18-25	1	50.00	1	50.00	2	100.00
26-40	1	50.00	1	50.00	2	100.00
41-65	16	57.14	12	42.86	28	100.00
66-	8	88.89	1	11.11	9	100.00
TOTAL	26	63.41	15	36.59	41	100.00
PAYOR						
MEDICARE	9	69.23	4	30.77	13	100.00
MEDICAID	1	100.00	.	.	1	100.00
BCBSM	16	59.26	11	40.74	27	100.00
TOTAL	26	63.41	15	36.59	41	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 9

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	16	72.73	6	27.27	22	100.00
FEMALE	15	71.43	6	28.57	21	100.00
TOTAL	31	72.09	12	27.91	43	100.00
AGE						
18-25	1	33.33	2	66.67	3	100.00
26-40	4	100.00	.	.	4	100.00
41-65	20	80.00	5	20.00	25	100.00
66-	6	54.55	5	45.45	11	100.00
TOTAL	31	72.09	12	27.91	43	100.00
PAYOR						
MEDICARE	7	58.33	5	41.67	12	100.00
MEDICAID	2	50.00	2	50.00	4	100.00
BCBSM	22	81.48	5	18.52	27	100.00
TOTAL	31	72.09	12	27.91	43	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 10

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	1	4.35	20	86.96	2	8.70	23	100.00
FEMALE	.	.	11	78.57	3	21.43	14	100.00
TOTAL	1	2.70	31	83.78	5	13.51	37	100.00
AGE								
18-25	.	.	7	87.50	1	12.50	8	100.00
26-40	.	.	9	90.00	1	10.00	10	100.00
41-65	1	8.33	10	83.33	1	8.33	12	100.00
66-	.	.	5	71.43	2	28.57	7	100.00
TOTAL	1	2.70	31	83.78	5	13.51	37	100.00
PAYOR								
MISSING	.	.	3	100.00	.	.	3	100.00
MEDICARE	1	11.11	6	66.67	2	22.22	9	100.00
MEDICAID	.	.	19	86.36	3	13.64	22	100.00
BCBSM	.	.	3	100.00	.	.	3	100.00
TOTAL	1	2.70	31	83.78	5	13.51	37	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 11

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	6	85.71	1	14.29	7	100.00
FEMALE	1	7.69	4	30.77	8	61.54	13	100.00
TOTAL	1	5.00	10	50.00	9	45.00	20	100.00
AGE								
18-25	.	.	2	100.00	.	.	2	100.00
41-65	1	11.11	3	33.33	5	55.56	9	100.00
66-	.	.	5	55.56	4	44.44	9	100.00
TOTAL	1	5.00	10	50.00	9	45.00	20	100.00
PAYOR								
MEDICARE	.	.	5	50.00	5	50.00	10	100.00
MEDICAID	1	33.33	2	66.67	.	.	3	100.00
BCBSM	.	.	3	42.86	4	57.14	7	100.00
TOTAL	1	5.00	10	50.00	9	45.00	20	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 12

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	11	61.11	7	38.89	18	100.00
FEMALE	18	75.00	6	25.00	24	100.00
TOTAL	29	69.05	13	30.95	42	100.00
AGE						
18-25	5	83.33	1	16.67	6	100.00
26-40	4	80.00	1	20.00	5	100.00
41-65	8	47.06	9	52.94	17	100.00
66-	12	85.71	2	14.29	14	100.00
TOTAL	29	69.05	13	30.95	42	100.00
PAYOR						
MEDICARE	14	73.68	5	26.32	19	100.00
MEDICAID	4	100.00	.	.	4	100.00
BCBSM	11	57.89	8	42.11	19	100.00
TOTAL	29	69.05	13	30.95	42	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 13

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	9	52.94	8	47.06	17	100.00
FEMALE	10	55.56	8	44.44	18	100.00
TOTAL	19	54.29	16	45.71	35	100.00
AGE						
18-25	1	50.00	1	50.00	2	100.00
26-40	3	50.00	3	50.00	6	100.00
41-65	10	58.82	7	41.18	17	100.00
66-	5	50.00	5	50.00	10	100.00
TOTAL	19	54.29	16	45.71	35	100.00
PAYOR						
MEDICARE	7	50.00	7	50.00	14	100.00
MEDICAID	2	66.67	1	33.33	3	100.00
BCBSM	10	55.56	8	44.44	18	100.00
TOTAL	19	54.29	16	45.71	35	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 14

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	6	66.67	3	33.33	9	100.00
FEMALE	12	48.00	13	52.00	25	100.00
TOTAL	18	52.94	16	47.06	34	100.00
AGE						
18-25	1	100.00	.	.	1	100.00
26-40	4	44.44	5	55.56	9	100.00
41-65	9	56.25	7	43.75	16	100.00
66-	4	50.00	4	50.00	8	100.00
TOTAL	18	52.94	16	47.06	34	100.00
PAYOR						
MEDICARE	4	50.00	4	50.00	8	100.00
MEDICAID	12	63.16	7	36.84	19	100.00
BCBSM	2	28.57	5	71.43	7	100.00
TOTAL	18	52.94	16	47.06	34	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 15

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	26	74.29	9	25.71	35	100.00
FEMALE	20	66.67	10	33.33	30	100.00
TOTAL	46	70.77	19	29.23	65	100.00
AGE						
18-25	2	66.67	1	33.33	3	100.00
26-40	8	80.00	2	20.00	10	100.00
41-65	19	65.52	10	34.48	29	100.00
66-	17	73.91	6	26.09	23	100.00
TOTAL	46	70.77	19	29.23	65	100.00
PAYOR						
MISSING	1	50.00	1	50.00	2	100.00
MEDICARE	19	76.00	6	24.00	25	100.00
MEDICAID	2	66.67	1	33.33	3	100.00
BCBSM	24	68.57	11	31.43	35	100.00
TOTAL	46	70.77	19	29.23	65	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 16

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	5	62.50	3	37.50	8	100.00
FEMALE	11	78.57	3	21.43	14	100.00
TOTAL	16	72.73	6	27.27	22	100.00
AGE						
18-25	1	100.00	.	.	1	100.00
26-40	1	50.00	1	50.00	2	100.00
41-65	5	83.33	1	16.67	6	100.00
66-	9	69.23	4	30.77	13	100.00
TOTAL	16	72.73	6	27.27	22	100.00
PAYOR						
MEDICARE	10	66.67	5	33.33	15	100.00
MEDICAID	2	66.67	1	33.33	3	100.00
BCBSM	4	100.00	.	.	4	100.00
TOTAL	16	72.73	6	27.27	22	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 17

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	13	76.47	4	23.53	17	100.00
FEMALE	12	57.14	9	42.86	21	100.00
TOTAL	25	65.79	13	34.21	38	100.00
AGE						
18-25	2	66.67	1	33.33	3	100.00
26-40	5	55.56	4	44.44	9	100.00
41-65	11	68.75	5	31.25	16	100.00
66-	7	70.00	3	30.00	10	100.00
TOTAL	25	65.79	13	34.21	38	100.00
PAYOR						
MEDICARE	9	64.29	5	35.71	14	100.00
MEDICAID	5	83.33	1	16.67	6	100.00
BCBSM	11	61.11	7	38.89	18	100.00
TOTAL	25	65.79	13	34.21	38	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 18

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	38	86.36	6	13.64	44	100.00
FEMALE	20	71.43	8	28.57	28	100.00
TOTAL	58	80.56	14	19.44	72	100.00
AGE						
18-25	8	100.00	.	.	8	100.00
26-40	10	100.00	.	.	10	100.00
41-65	22	70.97	9	29.03	31	100.00
66-	18	78.26	5	21.74	23	100.00
TOTAL	58	80.56	14	19.44	72	100.00
PAYOR						
MEDICARE	20	71.43	8	28.57	28	100.00
MEDICAID	8	100.00	.	.	8	100.00
BCBSM	30	83.33	6	16.67	36	100.00
TOTAL	58	80.56	14	19.44	72	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE AOMISSIONS

HOSPITAL 19

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	1	5.88	9	52.94	7	41.18	17	100.00
FEMALE	.	.	11	64.71	6	35.29	17	100.00
TOTAL	1	2.94	20	58.82	13	38.24	34	100.00
AGE								
18-25	1	50.00	1	50.00	.	.	2	100.00
26-40	.	.	3	50.00	3	50.00	6	100.00
41-65	.	.	9	50.00	9	50.00	18	100.00
66-	.	.	7	87.50	1	12.50	8	100.00
TOTAL	1	2.94	20	58.82	13	38.24	34	100.00
PAYOR								
MEDICARE	.	.	6	75.00	2	25.00	8	100.00
MEDICAID	.	.	2	50.00	2	50.00	4	100.00
BCBSM	1	4.55	12	54.55	9	40.91	22	100.00
TOTAL	1	2.94	20	58.82	13	38.24	34	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 20

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	7	63.64	4	36.36	11	100.00
FEMALE	10	71.43	4	28.57	14	100.00
TOTAL	17	68.00	8	32.00	25	100.00
AGE						
18-25	1	100.00	.	.	1	100.00
26-40	5	100.00	.	.	5	100.00
41-65	8	66.67	4	33.33	12	100.00
66-	3	42.86	4	57.14	7	100.00
TOTAL	17	68.00	8	32.00	25	100.00
PAYOR						
MISSING	1	100.00	.	.	1	100.00
MEDICARE	5	50.00	5	50.00	10	100.00
MEDICAID	3	100.00	.	.	3	100.00
BCBSM	8	72.73	3	27.27	11	100.00
TOTAL	17	68.00	8	32.00	25	100.00

MEDICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 21

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	10	76.92	3	23.08	13	100.00
FEMALE	11	78.57	3	21.43	14	100.00
TOTAL	21	77.78	6	22.22	27	100.00
AGE						
18-25	2	66.67	1	33.33	3	100.00
26-40	5	83.33	1	16.67	6	100.00
41-65	8	80.00	2	20.00	10	100.00
66-	6	75.00	2	25.00	8	100.00
TOTAL	21	77.78	6	22.22	27	100.00
PAYOR						
MEDICARE	8	72.73	3	27.27	11	100.00
MEDICAID	7	100.00	.	.	7	100.00
BCBSM	6	66.67	3	33.33	9	100.00
TOTAL	21	77.78	6	22.22	27	100.00

MEDICAL ADMISSIONS BY BED SIZE

BED SIZE IS LESS 150

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	4	17.39	19	82.61	23	100.00
FEMALE	16	41.03	23	58.97	39	100.00
TOTAL	20	32.26	42	67.74	62	100.00
AGE						
18-25	4	57.14	3	42.86	7	100.00
26-40	3	42.86	4	57.14	7	100.00
41-65	9	26.47	25	73.53	34	100.00
66-	4	28.57	10	71.43	14	100.00
TOTAL	20	32.26	42	67.74	62	100.00
PAYOR						
MISSING	.	.	1	100.00	1	100.00
MEDICARE	3	23.08	10	76.92	13	100.00
MEDICAID	8	47.06	9	52.94	17	100.00
BCBSM	9	29.03	22	70.97	31	100.00
TOTAL	20	32.26	42	67.74	62	100.00

MEDICAL ADMISSIONS BY BED SIZE

BED SIZE IS 150 TO 250

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	2.63	58	76.32	16	21.05	76	100.00
FEMALE	.	.	59	67.05	29	32.95	88	100.00
TOTAL	2	1.22	117	71.34	45	27.44	164	100.00
AGE								
18-25	1	6.67	12	80.00	2	13.33	15	100.00
26-40	.	.	25	71.43	10	28.57	35	100.00
41-65	1	1.64	42	68.85	18	29.51	61	100.00
66-	.	.	38	71.70	15	28.30	53	100.00
TOTAL	2	1.22	117	71.34	45	27.44	164	100.00
PAYOR								
MISSING	.	.	4	100.00	.	.	4	100.00
MEDICARE	1	1.64	41	67.21	19	31.15	61	100.00
MEDICAID	.	.	28	77.78	8	22.22	36	100.00
BCBSM	1	1.59	44	69.84	18	28.57	63	100.00
TOTAL	2	1.22	117	71.34	45	27.44	164	100.00

MEDICAL ADMISSIONS BY BED SIZE

BED SIZE IS OVER 250

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	1	0.32	217	70.45	90	29.22	308	100.00
FEMALE	1	0.28	232	65.35	122	34.37	355	100.00
TOTAL	2	0.30	449	67.72	212	31.98	663	100.00
AGE								
18-25	.	.	34	77.27	10	22.73	44	100.00
26-40	.	.	65	69.89	28	30.11	93	100.00
41-65	2	0.60	220	65.48	114	33.93	336	100.00
66-	.	.	130	68.42	60	31.58	190	100.00
TOTAL	2	0.30	449	67.72	212	31.98	663	100.00
PAYOR								
MISSING	.	.	5	71.43	2	28.57	7	100.00
MEDICARE	.	.	158	67.52	76	32.48	234	100.00
MEDICAID	1	1.19	61	72.62	22	26.19	84	100.00
BCBSM	1	0.30	225	66.57	112	33.14	338	100.00
TOTAL	2	0.30	449	67.72	212	31.98	663	100.00

MEDICAL ADMISSIONS BY TEACHING STATUS

TEACHING STATUS IS TEACHING

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.95	157	74.76	51	24.29	210	100.00
FEMALE	.	.	138	71.88	54	28.13	192	100.00
TOTAL	2	0.50	295	73.38	105	26.12	402	100.00
AGE								
18-25	.	.	29	82.86	6	17.14	35	100.00
26-40	.	.	50	79.37	13	20.63	63	100.00
41-65	2	1.07	129	68.98	56	29.95	187	100.00
66-	.	.	87	74.36	30	25.64	117	100.00
TOTAL	2	0.50	295	73.38	105	26.12	402	100.00
PAYOR								
MISSING	.	.	7	77.78	2	22.22	9	100.00
MEDICARE	1	0.68	106	72.60	39	26.71	146	100.00
MEDICAID	.	.	45	81.82	10	18.18	55	100.00
BCBSM	1	0.52	137	71.35	54	28.13	192	100.00
TOTAL	2	0.50	295	73.38	105	26.12	402	100.00

MEDICAL ADMISSIONS BY TEACHING STATUS

TEACHING STATUS IS NON TEACHING

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	1	0.51	122	61.93	74	37.56	197	100.00
FEMALE	1	0.34	169	58.28	120	41.38	290	100.00
TOTAL	2	0.41	291	59.75	194	39.84	487	100.00
AGE								
18-25	1	3.23	21	67.74	9	29.03	31	100.00
26-40	.	.	43	59.72	29	40.28	72	100.00
41-65	1	0.41	142	58.20	101	41.39	244	100.00
66-	.	.	85	60.71	55	39.29	140	100.00
TOTAL	2	0.41	291	59.75	194	39.84	487	100.00
PAYOR								
MISSING	.	.	2	66.67	1	33.33	3	100.00
MEDICARE	.	.	96	59.26	66	40.74	162	100.00
MEDICAID	1	1.22	52	63.41	29	35.37	82	100.00
BCBSM	1	0.42	141	58.75	98	40.83	240	100.00
TOTAL	2	0.41	291	59.75	194	39.84	487	100.00

MEDICAL ADMISSIONS BY OCCUPANCY RATE

TOTAL

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	3	0.74	279	68.55	125	30.71	407	100.00
FEMALE	1	0.21	307	63.69	174	36.10	482	100.00
TOTAL	4	0.45	586	65.92	299	33.63	889	100.00
AGE								
18-25	1	1.52	50	75.76	15	22.73	66	100.00
26-40	.	.	93	68.89	42	31.11	135	100.00
41-65	3	0.70	271	62.88	157	36.43	431	100.00
66-	.	.	172	66.93	85	33.07	257	100.00
TOTAL	4	0.45	586	65.92	299	33.63	889	100.00
PAYOR								
MISSING	.	.	9	75.00	3	25.00	12	100.00
MEDICARE	1	0.32	202	65.58	105	34.09	308	100.00
MEDICAID	1	0.73	97	70.80	39	28.47	137	100.00
BCBSM	2	0.46	278	64.35	152	35.19	432	100.00
TOTAL	4	0.45	586	65.92	299	33.63	889	100.00

MEDICAL ADMISSIONS BY OCCUPANCY RATE

OCCUPANCY RATE IS LESS 60%

	MEDICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	4	17.39	19	82.61	23	100.00
FEMALE	16	41.03	23	58.97	39	100.00
TOTAL	20	32.26	42	67.74	62	100.00
AGE						
18-25	4	57.14	3	42.86	7	100.00
26-40	3	42.86	4	57.14	7	100.00
41-65	9	26.47	25	73.53	34	100.00
66-	4	28.57	10	71.43	14	100.00
TOTAL	20	32.26	42	67.74	62	100.00
PAYOR						
MISSING	.	.	1	100.00	1	100.00
MEDICARE	3	23.08	10	76.92	13	100.00
MEDICAID	8	47.06	9	52.94	17	100.00
BCBSM	9	29.03	22	70.97	31	100.00
TOTAL	20	32.26	42	67.74	62	100.00

MEDICAL ADMISSIONS BY OCCUPANCY RATE

OCCUPANCY RATE IS 60% TO 80%

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	1	1.35	53	71.62	20	27.03	74	100.00
FEMALE	.	.	56	60.87	36	39.13	92	100.00
TOTAL	1	0.60	109	65.66	56	33.73	166	100.00
AGE								
18-25	.	.	12	80.00	3	20.00	15	100.00
26-40	.	.	22	61.11	14	38.89	36	100.00
41-65	1	1.49	45	67.16	21	31.34	67	100.00
66-	.	.	30	62.50	18	37.50	48	100.00
TOTAL	1	0.60	109	65.66	56	33.73	166	100.00
PAYOR								
MISSING	.	.	3	100.00	.	.	3	100.00
MEDICARE	1	1.67	36	60.00	23	38.33	60	100.00
MEDICAID	.	.	40	75.47	13	24.53	53	100.00
BCBSM	.	.	30	60.00	20	40.00	50	100.00
TOTAL	1	0.60	109	65.66	56	33.73	166	100.00

MEDICAL ADMISSIONS BY OCCUPANCY RATE

OCCUPANCY RATE IS OVER 80%

	MEDICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.65	222	71.61	86	27.74	310	100.00
FEMALE	1	0.28	235	66.95	115	32.76	351	100.00
TOTAL	3	0.45	457	69.14	201	30.41	661	100.00
AGE								
18-25	1	2.27	34	77.27	9	20.45	44	100.00
26-40	.	.	68	73.91	24	26.09	92	100.00
41-65	2	0.61	217	65.76	111	33.64	330	100.00
66-	.	.	138	70.77	57	29.23	195	100.00
TOTAL	3	0.45	457	69.14	201	30.41	661	100.00
PAYOR								
MISSING	.	.	6	75.00	2	25.00	8	100.00
MEDICARE	.	.	163	69.36	72	30.64	235	100.00
MEDICAID	1	1.49	49	73.13	17	25.37	67	100.00
BCBSM	2	0.57	239	68.09	110	31.34	351	100.00
TOTAL	3	0.45	457	69.14	201	30.41	661	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

TOTAL

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	4	0.17	1431	60.08	947	39.76	2382	100.00
FEMALE	7	0.24	1634	56.02	1276	43.74	2917	100.00
TOTAL	11	0.21	3065	57.84	2223	41.95	5299	100.00
AGE								
18-25	2	0.61	223	67.78	104	31.61	329	100.00
26-40	2	0.26	482	61.79	296	37.95	780	100.00
41-65	6	0.23	1446	56.11	1125	43.66	2577	100.00
66-	1	0.06	914	56.66	698	43.27	1613	100.00
TOTAL	11	0.21	3065	57.84	2223	41.95	5299	100.00
PAYOR								
MISSING	.	.	32	59.26	22	40.74	54	100.00
MEDICARE	2	0.10	1101	57.80	802	42.10	1905	100.00
MEDICAID	1	0.15	380	55.96	298	43.89	679	100.00
BCBSM	8	0.30	1552	58.32	1101	41.38	2661	100.00
TOTAL	11	0.21	3065	57.84	2223	41.95	5299	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 1

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	132	63.77	75	36.23	207	100.00
FEMALE	117	58.50	83	41.50	200	100.00
TOTAL	249	61.18	158	38.82	407	100.00
AGE						
18-25	15	78.95	4	21.05	19	100.00
26-40	12	46.15	14	53.85	26	100.00
41-65	172	66.15	88	33.85	260	100.00
66-	50	49.02	52	50.98	102	100.00
TOTAL	249	61.18	158	38.82	407	100.00
PAYOR						
MEDICARE	71	56.35	55	43.65	126	100.00
MEDICAID	6	16.67	30	83.33	36	100.00
BCBSM	172	70.20	73	29.80	245	100.00
TOTAL	249	61.18	158	38.82	407	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 2

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	90	63.83	51	36.17	141	100.00
FEMALE	102	60.00	68	40.00	170	100.00
TOTAL	192	61.74	119	38.26	311	100.00
AGE						
18-25	14	51.85	13	48.15	27	100.00
26-40	17	54.84	14	45.16	31	100.00
41-65	104	63.03	61	36.97	165	100.00
66-	57	64.77	31	35.23	88	100.00
TOTAL	192	61.74	119	38.26	311	100.00
PAYOR						
MISSING	3	50.00	3	50.00	6	100.00
MEDICARE	59	66.29	30	33.71	89	100.00
MEDICAID	12	48.00	13	52.00	25	100.00
BCBSM	118	61.78	73	38.22	191	100.00
TOTAL	192	61.74	119	38.26	311	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 3

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	26	22.03	92	77.97	118	100.00
FEMALE	62	27.68	162	72.32	224	100.00
TOTAL	88	25.73	254	74.27	342	100.00
AGE						
18-25	11	42.31	15	57.69	26	100.00
26-40	14	28.00	36	72.00	50	100.00
41-65	36	19.25	151	80.75	187	100.00
66-	27	34.18	52	65.82	79	100.00
TOTAL	88	25.73	254	74.27	342	100.00
PAYOR						
MISSING	.	.	3	100.00	3	100.00
MEDICARE	27	36.99	46	63.01	73	100.00
MEDICAID	27	28.72	67	71.28	94	100.00
BCBSM	34	19.77	138	80.23	172	100.00
TOTAL	88	25.73	254	74.27	342	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 4

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	120	83.33	24	16.67	144	100.00
FEMALE	2	1.77	95	84.07	16	14.16	113	100.00
TOTAL	2	0.78	215	83.66	40	15.56	257	100.00
AGE								
18-25	.	.	17	100.00	.	.	17	100.00
26-40	.	.	79	87.78	11	12.22	90	100.00
41-65	2	2.22	71	78.89	17	18.89	90	100.00
66-	.	.	48	80.00	12	20.00	60	100.00
TOTAL	2	0.78	215	83.66	40	15.56	257	100.00
PAYOR								
MISSING	.	.	14	93.33	1	6.67	15	100.00
MEDICARE	.	.	89	85.58	15	14.42	104	100.00
BCBSM	2	1.45	112	81.16	24	17.39	138	100.00
TOTAL	2	0.78	215	83.66	40	15.56	257	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 5

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	72	51.06	69	48.94	141	100.00
FEMALE	105	57.69	77	42.31	182	100.00
TOTAL	177	54.80	146	45.20	323	100.00
AGE						
18-25	11	91.67	1	8.33	12	100.00
26-40	19	61.29	12	38.71	31	100.00
41-65	98	51.85	91	48.15	189	100.00
66-	49	53.85	42	46.15	91	100.00
TOTAL	177	54.80	146	45.20	323	100.00
PAYOR						
MEDICARE	60	56.60	46	43.40	106	100.00
MEDICAID	33	45.21	40	54.79	73	100.00
BCBSM	84	58.33	60	41.67	144	100.00
TOTAL	177	54.80	146	45.20	323	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 6

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	100	76.92	30	23.08	130	100.00
FEMALE	130	65.00	70	35.00	200	100.00
TOTAL	230	69.70	100	30.30	330	100.00
AGE						
18-25	10	55.56	8	44.44	18	100.00
26-40	31	63.27	18	36.73	49	100.00
41-65	105	72.41	40	27.59	145	100.00
66-	84	71.19	34	28.81	118	100.00
TOTAL	230	69.70	100	30.30	330	100.00
PAYOR						
MEDICARE	92	77.97	26	22.03	118	100.00
MEDICAID	13	81.25	3	18.75	16	100.00
BCBSM	125	63.78	71	36.22	196	100.00
TOTAL	230	69.70	100	30.30	330	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 7

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	42	62.69	25	37.31	67	100.00
FEMALE	67	51.94	62	48.06	129	100.00
TOTAL	109	55.61	87	44.39	196	100.00
AGE						
18-25	3	37.50	5	62.50	8	100.00
26-40	22	52.38	20	47.62	42	100.00
41-65	49	66.22	25	33.78	74	100.00
66-	35	48.61	37	51.39	72	100.00
TOTAL	109	55.61	87	44.39	196	100.00
PAYOR						
MEDICARE	39	50.00	39	50.00	78	100.00
MEDICAID	2	25.00	6	75.00	8	100.00
BCBSM	68	61.82	42	38.18	110	100.00
TOTAL	109	55.61	87	44.39	196	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 8

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	55	63.95	31	36.05	86	100.00
FEMALE	91	56.87	69	43.12	160	100.00
TOTAL	146	59.35	100	40.65	246	100.00
AGE						
18-25	4	36.36	7	63.64	11	100.00
26-40	11	52.38	10	47.62	21	100.00
41-65	97	62.58	58	37.42	155	100.00
66-	34	57.63	25	42.37	59	100.00
TOTAL	146	59.35	100	40.65	246	100.00
PAYOR						
MEDICARE	40	53.33	35	46.67	75	100.00
MEDICAID	2	100.00	.	.	2	100.00
BCBSM	104	61.54	65	38.46	169	100.00
TOTAL	146	59.35	100	40.65	246	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 9

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	82	61.65	51	38.35	133	100.00
FEMALE	75	67.57	36	32.43	111	100.00
TOTAL	157	64.34	87	35.66	244	100.00
AGE						
18-25	2	16.67	10	83.33	12	100.00
26-40	17	73.91	6	26.09	23	100.00
41-65	90	68.70	41	31.30	131	100.00
66-	48	61.54	30	38.46	78	100.00
TOTAL	157	64.34	87	35.66	244	100.00
PAYOR						
MEDICARE	49	61.25	31	38.75	80	100.00
MEDICAID	12	66.67	6	33.33	18	100.00
BCBSM	96	65.75	50	34.25	146	100.00
TOTAL	157	64.34	87	35.66	244	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 10

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	79	85.87	13	14.13	92	100.00
FEMALE	52	82.54	11	17.46	63	100.00
TOTAL	131	84.52	24	15.48	155	100.00
AGE						
18-25	25	92.59	2	7.41	27	100.00
26-40	43	93.48	3	6.52	46	100.00
41-65	40	81.63	9	18.37	49	100.00
66-	23	69.70	10	30.30	33	100.00
TOTAL	131	84.52	24	15.48	155	100.00
PAYOR						
MISSING	8	66.67	4	33.33	12	100.00
MEDICARE	34	77.27	10	22.73	44	100.00
MEDICAID	81	90.00	9	10.00	90	100.00
BCBSM	8	88.89	1	11.11	9	100.00
TOTAL	131	84.52	24	15.48	155	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 11

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	25	60.98	16	39.02	41	100.00
FEMALE	21	29.58	50	70.42	71	100.00
TOTAL	46	41.07	66	58.93	112	100.00
AGE						
18-25	12	100.00	.	.	12	100.00
41-65	15	31.91	32	68.09	47	100.00
66-	19	35.85	34	64.15	53	100.00
TOTAL	46	41.07	66	58.93	112	100.00
PAYOR						
MEDICARE	19	32.76	39	67.24	58	100.00
MEDICAID	6	40.00	9	60.00	15	100.00
BCBSM	21	53.85	18	46.15	39	100.00
TOTAL	46	41.07	66	58.93	112	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 12

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	38	42.22	52	57.78	90	100.00
FEMALE	92	65.25	49	34.75	141	100.00
TOTAL	130	56.28	101	43.72	231	100.00
AGE						
18-25	25	75.76	8	24.24	33	100.00
26-40	19	65.52	10	34.48	29	100.00
41-65	43	42.57	58	57.43	101	100.00
66-	43	63.24	25	36.76	68	100.00
TOTAL	130	56.28	101	43.72	231	100.00
PAYOR						
MEDICARE	57	56.44	44	43.56	101	100.00
MEDICAID	26	100.00	.	.	26	100.00
BCBSM	47	45.19	57	54.81	104	100.00
TOTAL	130	56.28	101	43.72	231	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 13

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	40	41.67	56	58.33	96	100.00
FEMALE	54	43.90	69	56.10	123	100.00
TOTAL	94	42.92	125	57.08	219	100.00
AGE						
18-25	6	85.71	1	14.29	7	100.00
26-40	9	31.03	20	68.97	29	100.00
41-65	49	47.12	55	52.88	104	100.00
66-	30	37.97	49	62.03	79	100.00
TOTAL	94	42.92	125	57.08	219	100.00
PAYOR						
MEDICARE	44	40.37	65	59.63	109	100.00
MEDICAID	6	75.00	2	25.00	8	100.00
BCBSM	44	43.14	58	56.86	102	100.00
TOTAL	94	42.92	125	57.08	219	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 14

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	23	47.92	25	52.08	48	100.00
FEMALE	49	37.69	81	62.31	130	100.00
TOTAL	72	40.45	106	59.55	178	100.00
AGE						
26-40	22	51.16	21	48.84	43	100.00
41-65	31	34.07	60	65.93	91	100.00
66-	19	43.18	25	56.82	44	100.00
TOTAL	72	40.45	106	59.55	178	100.00
PAYOR						
MEDICARE	19	43.18	25	56.82	44	100.00
MEDICAID	40	42.55	54	57.45	94	100.00
BCBSM	13	32.50	27	67.50	40	100.00
TOTAL	72	40.45	106	59.55	178	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 15

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.88	137	60.62	87	38.50	226	100.00
FEMALE	1	0.47	118	55.40	94	44.13	213	100.00
TOTAL	3	0.68	255	58.09	181	41.23	439	100.00
AGE								
18-25	.	.	16	66.67	8	33.33	24	100.00
26-40	1	1.56	47	73.44	16	25.00	64	100.00
41-65	2	1.02	113	57.36	82	41.62	197	100.00
66-	.	.	79	51.30	75	48.70	154	100.00
TOTAL	3	0.68	255	58.09	181	41.23	439	100.00
PAYOR								
MISSING	.	.	5	45.45	6	54.55	11	100.00
MEDICARE	.	.	94	52.81	84	47.19	178	100.00
MEDICAID	.	.	15	75.00	5	25.00	20	100.00
BCBSM	3	1.30	141	61.30	86	37.39	230	100.00
TOTAL	3	0.68	255	58.09	181	41.23	439	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 16

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	16	37.21	27	62.79	43	100.00
FEMALE	39	52.00	36	48.00	75	100.00
TOTAL	55	46.61	63	53.39	118	100.00
AGE						
18-25	1	100.00	.	.	1	100.00
26-40	7	50.00	7	50.00	14	100.00
41-65	13	44.83	16	55.17	29	100.00
66-	34	45.95	40	54.05	74	100.00
TOTAL	55	46.61	63	53.39	118	100.00
PAYOR						
MEDICARE	37	43.02	49	56.98	86	100.00
MEDICAID	2	22.22	7	77.78	9	100.00
BCBSM	16	69.57	7	30.43	23	100.00
TOTAL	55	46.61	63	53.39	118	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HDSPITAL 17

	MEDICAL DAYS							
	MISSING		ACUTE		NDNACUTE		TOTAL	
	ND.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	2.44	39	47.56	41	50.00	82	100.00
FEMALE	3	2.65	56	49.56	54	47.79	113	100.00
TOTAL	5	2.56	95	48.72	95	48.72	195	100.00
AGE								
18-25	2	13.33	10	66.67	3	20.00	15	100.00
26-40	1	2.86	13	37.14	21	60.00	35	100.00
41-65	1	1.15	44	50.57	42	48.28	87	100.00
66-	1	1.72	28	48.28	29	50.00	58	100.00
TDTAL	5	2.56	95	48.72	95	48.72	195	100.00
PAYDR								
MISSING	.	.	.	.	1	100.00	1	100.00
MEDICARE	2	2.74	35	47.95	36	49.32	73	100.00
MEDICAID	1	4.76	10	47.62	10	47.62	21	100.00
BCBSM	2	2.00	50	50.00	48	48.00	100	100.00
TDTAL	5	2.56	95	48.72	95	48.72	195	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 18

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	170	69.96	73	30.04	243	100.00
FEMALE	1	0.45	153	68.92	68	30.63	222	100.00
TOTAL	1	0.22	323	69.46	141	30.32	465	100.00
AGE								
18-25	.	.	19	73.08	7	26.92	26	100.00
26-40	.	.	44	68.75	20	31.25	64	100.00
41-65	1	0.48	133	63.64	75	35.89	209	100.00
66-	.	.	127	76.51	39	23.49	166	100.00
TOTAL	1	0.22	323	69.46	141	30.32	465	100.00
PAYOR								
MEDICARE	.	.	135	71.43	54	28.57	189	100.00
MEDICAID	.	.	33	76.74	10	23.26	43	100.00
BCBSM	1	0.43	155	66.52	77	33.05	233	100.00
TOTAL	1	0.22	323	69.46	141	30.32	465	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 19

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	52	52.00	48	48.00	100	100.00
FEMALE	36	40.91	52	59.09	88	100.00
TOTAL	88	46.81	100	53.19	188	100.00
AGE						
18-25	7	70.00	3	30.00	10	100.00
26-40	10	29.41	24	70.59	34	100.00
41-65	46	47.92	50	52.08	96	100.00
66-	25	52.08	23	47.92	48	100.00
TOTAL	88	46.81	100	53.19	188	100.00
PAYOR						
MEDICARE	27	51.92	25	48.08	52	100.00
MEDICAID	14	50.00	14	50.00	28	100.00
BCBSM	47	43.52	61	56.48	108	100.00
TOTAL	88	46.81	100	53.19	188	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 20

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	ND.	%	NO.	%
SEX						
MALE	54	56.25	42	43.75	96	100.00
FEMALE	65	60.19	43	39.81	108	100.00
TDTAL	119	58.33	85	41.67	204	100.00
AGE						
18-25	7	53.85	6	46.15	13	100.00
26-40	25	78.13	7	21.88	32	100.00
41-65	62	55.36	50	44.64	112	100.00
66-	25	53.19	22	46.81	47	100.00
TDTAL	119	58.33	85	41.67	204	100.00
PAYDR						
MISSING	2	33.33	4	66.67	6	100.00
MEDICARE	38	55.07	31	44.93	69	100.00
MEDICAID	13	68.42	6	31.58	19	100.00
BCBSM	66	60.00	44	40.00	110	100.00
TOTAL	119	58.33	85	41.67	204	100.00

MEDICAL DAYS BY ACUTE AND NONACUTE DAYS

HOSPITAL 21

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	39	67.24	19	32.76	58	100.00
FEMALE	55	67.90	26	32.10	81	100.00
TOTAL	94	67.63	45	32.37	139	100.00
AGE						
18-25	8	72.73	3	27.27	11	100.00
26-40	21	77.78	6	22.22	27	100.00
41-65	35	59.32	24	40.68	59	100.00
66-	30	71.43	12	28.57	42	100.00
TOTAL	94	67.63	45	32.37	139	100.00
PAYOR						
MEDICARE	36	67.92	17	32.08	53	100.00
MEDICAID	27	79.41	7	20.59	34	100.00
BCBSM	31	59.62	21	40.38	52	100.00
TOTAL	94	67.63	45	32.37	139	100.00

MEDICAL DAYS BY BED SIZE

BED SIZE = LESS 150

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	26	22.03	92	77.97	118	100.00
FEMALE	62	27.68	162	72.32	224	100.00
TOTAL	88	25.73	254	74.27	342	100.00
AGE						
18-25	11	42.31	15	57.69	26	100.00
26-40	14	28.00	36	72.00	50	100.00
41-65	36	19.25	151	80.75	187	100.00
66-	27	34.18	52	65.82	79	100.00
TOTAL	88	25.73	254	74.27	342	100.00
PAYOR						
MISSING	.	.	3	100.00	3	100.00
MEDICARE	27	36.99	46	63.01	73	100.00
MEDICAID	27	28.72	67	71.28	94	100.00
BCBSM	34	19.77	138	80.23	172	100.00
TOTAL	88	25.73	254	74.27	342	100.00

MEDICAL DAYS BY BED SIZE

BED SIZE = 150 TO 250

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.52	228	59.38	154	40.10	384	100.00
FEMALE	3	0.64	250	53.42	215	45.94	468	100.00
TOTAL	5	0.59	478	56.10	369	43.31	852	100.00
AGE								
18-25	2	3.28	46	75.41	13	21.31	61	100.00
26-40	1	0.58	95	55.56	75	43.86	171	100.00
41-65	1	0.30	192	57.31	142	42.39	335	100.00
66-	1	0.35	145	50.88	139	48.77	285	100.00
TOTAL	5	0.59	478	56.10	369	43.31	852	100.00
PAYOR								
MISSING	.	.	8	61.54	5	38.46	13	100.00
MEDICARE	2	0.60	172	51.65	159	47.75	333	100.00
MEDICAID	1	0.64	109	69.87	46	29.49	156	100.00
BCBSM	2	0.57	189	54.00	159	45.43	350	100.00
TOTAL	5	0.59	478	56.10	369	43.31	852	100.00

MEDICAL OAYS BY BEO SIZE

BEO SIZE = OVER 250

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.11	1177	62.61	701	37.29	1880	100.00
FEMALE	4	0.18	1322	59.42	899	40.40	2225	100.00
TOTAL	6	0.15	2499	60.88	1600	38.98	4105	100.00
AGE								
18-25	.	.	166	68.60	76	31.40	242	100.00
26-40	1	0.18	373	66.73	185	33.09	559	100.00
41-65	5	0.24	1218	59.27	832	40.49	2055	100.00
66-	.	.	742	59.41	507	40.59	1249	100.00
TOTAL	6	0.15	2499	60.88	1600	38.98	4105	100.00
PAYOR								
MISSING	.	.	24	63.16	14	36.84	38	100.00
MEDICARE	.	.	902	60.17	597	39.83	1499	100.00
MEDICAID	.	.	244	56.88	185	43.12	429	100.00
BCBSM	6	0.28	1329	62.13	804	37.59	2139	100.00
TOTAL	6	0.15	2499	60.88	1600	38.98	4105	100.00

MEDICAL DAYS BY TEACHING STATUS

TEACHING STATUS = TEACHING

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.17	805	67.03	394	32.81	1201	100.00
FEMALE	4	0.33	784	65.17	415	34.50	1203	100.00
TOTAL	6	0.25	1589	66.10	809	33.65	2404	100.00
AGE								
18-25	.	.	139	75.54	45	24.46	184	100.00
26-40	1	0.27	282	74.80	94	24.93	377	100.00
41-65	5	0.44	711	62.92	414	36.64	1130	100.00
66-	.	.	457	64.10	256	35.90	713	100.00
TOTAL	6	0.25	1589	66.10	809	33.65	2404	100.00
PAYOR								
MISSING	.	.	30	68.18	14	31.82	44	100.00
MEDICARE	.	.	575	65.05	309	34.95	884	100.00
MEDICAID	.	.	200	72.99	74	27.01	274	100.00
BCBSM	6	0.50	784	65.22	412	34.28	1202	100.00
TOTAL	6	0.25	1589	66.10	809	33.65	2404	100.00

MEDICAL DAYS BY TEACHING STATUS

TEACHING STATUS = NON TEACHING

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.17	626	53.01	553	46.82	1181	100.00
FEMALE	3	0.18	850	49.59	861	50.23	1714	100.00
TOTAL	5	0.17	1476	50.98	1414	48.84	2895	100.00
AGE								
18-25	2	1.38	84	57.93	59	40.69	145	100.00
26-40	1	0.25	200	49.63	202	50.12	403	100.00
41-65	1	0.07	735	50.79	711	49.14	1447	100.00
66-	1	0.11	457	50.78	442	49.11	900	100.00
TOTAL	5	0.17	1476	50.98	1414	48.84	2895	100.00
PAYOR								
MISSING	.	.	2	20.00	8	80.00	10	100.00
MEDICARE	2	0.20	526	51.52	493	48.29	1021	100.00
MEDICAID	1	0.25	180	44.44	224	55.31	405	100.00
BCBSM	2	0.14	768	52.64	689	47.22	1459	100.00
TOTAL	5	0.17	1476	50.98	1414	48.84	2895	100.00

MEDICAL DAYS BY OCCUPANCY RATE

OCCUPANCY RATE = LESS 60%

	MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	26	22.03	92	77.97	118	100.00
FEMALE	62	27.68	162	72.32	224	100.00
TOTAL	88	25.73	254	74.27	342	100.00
AGE						
18-25	11	42.31	15	57.69	26	100.00
26-40	14	28.00	36	72.00	50	100.00
41-65	36	19.25	151	80.75	187	100.00
66-	27	34.18	52	65.82	79	100.00
TOTAL	88	25.73	254	74.27	342	100.00
PAYOR						
MISSING	.	.	3	100.00	3	100.00
MEDICARE	27	36.99	46	63.01	73	100.00
MEDICAID	27	28.72	67	71.28	94	100.00
BCBSM	34	19.77	138	80.23	172	100.00
TOTAL	88	25.73	254	74.27	342	100.00

MEDICAL DAYS BY OCCUPANCY RATE

OCCUPANCY RATE = 60% TO 80%

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.55	197	54.57	162	44.88	361	100.00
FEMALE	3	0.60	250	49.60	251	49.80	504	100.00
TOTAL	5	0.58	447	51.68	413	47.75	865	100.00
AGE								
18-25	2	4.00	42	84.00	6	12.00	50	100.00
26-40	1	0.60	94	56.29	72	43.11	167	100.00
41-65	1	0.28	177	49.17	182	50.56	360	100.00
66-	1	0.35	134	46.53	153	53.13	288	100.00
TOTAL	5	0.58	447	51.68	413	47.75	865	100.00
PAYOR								
MISSING	.	.	8	61.54	5	38.46	13	100.00
MEDICARE	2	0.56	169	47.47	185	51.97	356	100.00
MEDICAID	1	0.45	139	62.61	82	36.94	222	100.00
BCBSM	2	0.73	131	47.81	141	51.46	274	100.00
TOTAL	5	0.58	447	51.68	413	47.75	865	100.00

MEDICAL DAYS BY OCCUPANCY RATE

OCCUPANCY RATE = OVER 80%

	MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	0.11	1208	63.48	693	36.42	1903	100.00
FEMALE	4	0.18	1322	60.39	863	39.42	2189	100.00
TOTAL	6	0.15	2530	61.83	1556	38.03	4092	100.00
AGE								
18-25	.	.	170	67.19	83	32.81	253	100.00
26-40	1	0.18	374	66.43	188	33.39	563	100.00
41-65	5	0.25	1233	60.74	792	39.01	2030	100.00
66-	.	.	753	60.43	493	39.57	1246	100.00
TOTAL	6	0.15	2530	61.83	1556	38.03	4092	100.00
PAYOR								
MISSING	.	.	24	63.16	14	36.84	38	100.00
MEDICARE	.	.	905	61.31	571	38.69	1476	100.00
MEDICAID	.	.	214	58.95	149	41.05	363	100.00
BCBSM	6	0.27	1387	62.62	822	37.11	2215	100.00
TOTAL	6	0.15	2530	61.83	1556	38.03	4092	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

TOTAL

	MEDICAL ADMISSIONS																	
	ACUTE								NONACUTE									
	MEDICAL DAYS								MEDICAL DAYS									
	MISSING		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																		
MALE	3	0.17	1285	72.44	486	27.40	1774	100.00	1	0.16	146	24.01	461	75.82	608	100.00		
FEMALE	7	0.33	1499	70.81	611	28.86	2117	100.00	.	.	135	16.87	665	83.12	800	100.00		
TOTAL	10	0.26	2784	71.55	1097	28.19	3891	100.00	1	0.07	281	19.96	1126	79.97	1408	100.00		
AGE																		
18-25	1	0.35	221	78.37	60	21.28	282	100.00	1	2.13	2	4.26	44	93.62	47	100.00		
26-40	2	0.33	453	74.38	154	25.29	609	100.00	.	.	29	16.96	142	83.04	171	100.00		
41-65	6	0.33	1296	70.70	531	28.97	1833	100.00	.	.	150	20.16	594	79.84	744	100.00		
66-	1	0.09	814	69.75	352	30.16	1167	100.00	.	.	100	22.42	346	77.58	446	100.00		
TOTAL	10	0.26	2784	71.55	1097	28.19	3891	100.00	1	0.07	281	19.96	1126	79.97	1408	100.00		
PAYOR																		
MISSING	.	.	29	74.36	10	25.64	39	100.00	.	.	3	20.00	12	80.00	15	100.00		
MEDICARE	1	0.07	981	70.98	400	28.94	1382	100.00	1	0.19	120	22.94	402	76.86	523	100.00		
MEDICAID	1	0.19	364	70.41	152	29.40	517	100.00	.	.	16	9.88	146	90.12	162	100.00		
BCBSM	8	0.41	1410	72.20	535	27.39	1953	100.00	.	.	142	20.06	566	79.94	708	100.00		
TOTAL	10	0.26	2784	71.55	1097	28.19	3891	100.00	1	0.07	281	19.96	1126	79.97	1408	100.00		

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 1

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	116	80.00	29	20.00	145	100.00	16	25.81	46	74.19	62	100.00
FEMALE	112	77.78	32	22.22	144	100.00	5	8.93	51	91.07	56	100.00
TOTAL	228	78.89	61	21.11	289	100.00	21	17.80	97	82.20	118	100.00
AGE												
18-25	15	78.95	4	21.05	19	100.00	.	.	.	.	.	.
26-40	12	75.00	4	25.00	16	100.00	.	.	10	100.00	10	100.00
41-65	155	82.89	32	17.11	187	100.00	17	23.29	56	76.71	73	100.00
66-	46	68.66	21	31.34	67	100.00	4	11.43	31	88.57	35	100.00
TOTAL	228	78.89	61	21.11	289	100.00	21	17.80	97	82.20	118	100.00
PAYOR												
MEDICARE	67	73.63	24	26.37	91	100.00	4	11.43	31	88.57	35	100.00
MEDICAID	6	54.55	5	45.45	11	100.00	.	.	25	100.00	25	100.00
BCBSM	155	82.89	32	17.11	187	100.00	17	29.31	41	70.69	58	100.00
TOTAL	228	78.89	61	21.11	289	100.00	21	17.80	97	82.20	118	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 2

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	71	82.56	15	17.44	86	100.00	19	34.55	36	65.45	55	100.00
FEMALE	95	65.07	51	34.93	146	100.00	7	29.17	17	70.83	24	100.00
TOTAL	166	71.55	66	28.45	232	100.00	26	32.91	53	67.09	79	100.00
AGE												
18-25	14	73.68	5	26.32	19	100.00	.	.	8	100.00	8	100.00
26-40	11	64.71	6	35.29	17	100.00	6	42.86	8	57.14	14	100.00
41-65	91	72.22	35	27.78	126	100.00	13	33.33	26	66.67	39	100.00
66-	50	71.43	20	28.57	70	100.00	7	38.89	11	61.11	18	100.00
TOTAL	166	71.55	66	28.45	232	100.00	26	32.91	53	67.09	79	100.00
PAYOR												
MISSING	.	.	.	.	.	.	3	50.00	3	50.00	6	100.00
MEDICARE	50	73.53	18	26.47	68	100.00	9	42.86	12	57.14	21	100.00
MEDICAID	12	52.17	11	47.83	23	100.00	.	.	2	100.00	2	100.00
BCBSM	104	73.76	37	26.24	141	100.00	14	28.00	36	72.00	50	100.00
TOTAL	166	71.55	66	28.45	232	100.00	26	32.91	53	67.09	79	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 3

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	7	30.43	16	69.57	23	100.00	19	20.00	76	80.00	95	100.00
FEMALE	56	54.37	47	45.63	103	100.00	6	4.96	115	95.04	121	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00
AGE												
18-25	11	73.33	4	26.67	15	100.00	.	.	11	100.00	11	100.00
26-40	14	41.18	20	58.82	34	100.00	.	.	16	100.00	16	100.00
41-65	23	43.40	30	56.60	53	100.00	13	9.70	121	90.30	134	100.00
66-	15	62.50	9	37.50	24	100.00	12	21.82	43	78.18	55	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00
PAYOR												
MISSING	.	.	.	.	.	.	.	.	3	100.00	3	100.00
MEDICARE	15	83.33	3	16.67	18	100.00	12	21.82	43	78.18	55	100.00
MEDICAID	22	44.00	28	56.00	50	100.00	5	11.36	39	88.64	44	100.00
BCBSM	26	44.83	32	55.17	58	100.00	8	7.02	106	92.98	114	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 4

	MEDICAL ADMISSIONS													
	ACUTE								NONACUTE					
	MEDICAL DAYS								MEDICAL DAYS					
	MISSING		ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	.	.	112	82.96	23	17.04	135	100.00	8	88.89	1	11.11	9	100.00
FEMALE	2	2.06	88	90.72	7	7.22	97	100.00	7	43.75	9	56.25	16	100.00
TOTAL	2	0.86	200	86.21	30	12.93	232	100.00	15	60.00	10	40.00	25	100.00
AGE														
18-25	.	.	17	100.00	.	.	17	100.00	.	.	.	.	.	.
26-40	.	.	76	87.36	11	12.64	87	100.00	3	100.00	.	.	3	100.00
41-65	2	2.33	69	80.23	15	17.44	86	100.00	2	50.00	2	50.00	4	100.00
66-	.	.	38	90.48	4	9.52	42	100.00	10	55.56	8	44.44	18	100.00
TOTAL	2	0.86	200	86.21	30	12.93	232	100.00	15	60.00	10	40.00	25	100.00
PAYOR														
MISSING	.	.	14	93.33	1	6.67	15	100.00	.	.	.	.	.	.
MEDICARE	.	.	77	93.90	5	6.10	82	100.00	12	54.55	10	45.45	22	100.00
BCBSM	2	1.48	109	80.74	24	17.78	135	100.00	3	100.00	.	.	3	100.00
TOTAL	2	0.86	200	86.21	30	12.93	232	100.00	15	60.00	10	40.00	25	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 5

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	54	58.06	39	41.94	93	100.00	18	37.50	30	62.50	48	100.00
FEMALE	97	79.51	25	20.49	122	100.00	8	13.33	52	86.67	60	100.00
TOTAL	151	70.23	64	29.77	215	100.00	26	24.07	82	75.93	108	100.00
AGE												
18-25	11	91.67	1	8.33	12	100.00	.	.	.	.	.	.
26-40	15	83.33	3	16.67	18	100.00	4	30.77	9	69.23	13	100.00
41-65	78	64.46	43	35.54	121	100.00	20	29.41	48	70.59	68	100.00
66-	47	73.44	17	26.56	64	100.00	2	7.41	25	92.59	27	100.00
TOTAL	151	70.23	64	29.77	215	100.00	26	24.07	82	75.93	108	100.00
PAYDR												
MEDICARE	50	68.49	23	31.51	73	100.00	10	30.30	23	69.70	33	100.00
MEDICAID	31	67.39	15	32.61	46	100.00	2	7.41	25	92.59	27	100.00
BCBSM	70	72.92	26	27.08	96	100.00	14	29.17	34	70.83	48	100.00
TOTAL	151	70.23	64	29.77	215	100.00	26	24.07	82	75.93	108	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 6

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	94	87.04	14	12.96	108	100.00	6	27.27	16	72.73	22	100.00
FEMALE	118	76.62	36	23.38	154	100.00	12	26.09	34	73.91	46	100.00
TOTAL	212	80.92	50	19.08	262	100.00	18	26.47	50	73.53	68	100.00
AGE												
18-25	10	76.92	3	23.08	13	100.00	.	.	5	100.00	5	100.00
26-40	26	86.67	4	13.33	30	100.00	5	26.32	14	73.68	19	100.00
41-65	97	84.35	18	15.65	115	100.00	8	26.67	22	73.33	30	100.00
66-	79	75.96	25	24.04	104	100.00	5	35.71	9	64.29	14	100.00
TOTAL	212	80.92	50	19.08	262	100.00	18	26.47	50	73.53	68	100.00
PAYOR												
MEDICARE	90	81.82	20	18.18	110	100.00	2	25.00	6	75.00	8	100.00
MEDICAID	13	81.25	3	18.75	16	100.00	.	.	.	.	.	.
BCBSM	109	80.15	27	19.85	136	100.00	16	26.67	44	73.33	60	100.00
TOTAL	212	80.92	50	19.08	262	100.00	18	26.47	50	73.53	68	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 7

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	42	62.69	25	37.31	67	100.00	.	.	.	.	.	.
FEMALE	58	61.05	37	38.95	95	100.00	9	26.47	25	73.53	34	100.00
TOTAL	100	61.73	62	38.27	162	100.00	9	26.47	25	73.53	34	100.00
AGE												
18-25	3	37.50	5	62.50	8	100.00	.	.	.	.	.	.
26-40	22	57.89	16	42.11	38	100.00	.	.	4	100.00	4	100.00
41-65	40	64.52	22	35.48	62	100.00	9	75.00	3	25.00	12	100.00
66-	35	64.81	19	35.19	54	100.00	.	.	18	100.00	18	100.00
TOTAL	100	61.73	62	38.27	162	100.00	9	26.47	25	73.53	34	100.00
PAYOR												
MEDICARE	39	65.00	21	35.00	60	100.00	.	.	18	100.00	18	100.00
MEDICAID	2	50.00	2	50.00	4	100.00	.	.	4	100.00	4	100.00
BCBSM	59	60.20	39	39.80	98	100.00	9	75.00	3	25.00	12	100.00
TOTAL	100	61.73	62	38.27	162	100.00	9	26.47	25	73.53	34	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 8

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	ND.	%	ND.	%	ND.	%	ND.	%	ND.	%	ND.	%
SEX												
MALE	50	76.92	15	23.08	65	100.00	5	23.81	16	76.19	21	100.00
FEMALE	78	67.24	38	32.76	116	100.00	13	29.55	31	70.45	44	100.00
TOTAL	128	70.72	53	29.28	181	100.00	18	27.69	47	72.31	65	100.00
AGE												
18-25	4	80.00	1	20.00	5	100.00	.	.	6	100.00	6	100.00
26-40	11	73.33	4	26.67	15	100.00	.	.	6	100.00	6	100.00
41-65	82	75.93	26	24.07	108	100.00	15	31.91	32	68.09	47	100.00
66-	31	58.49	22	41.51	53	100.00	3	50.00	3	50.00	6	100.00
TOTAL	128	70.72	53	29.28	181	100.00	18	27.69	47	72.31	65	100.00
PAYOR												
MEDICARE	35	58.33	25	41.67	60	100.00	5	33.33	10	66.67	15	100.00
MEDICAID	2	100.00	.	.	2	100.00	.	.	.	.	.	.
BCBSM	91	76.47	28	23.53	119	100.00	13	26.00	37	74.00	50	100.00
TOTAL	128	70.72	53	29.28	181	100.00	18	27.69	47	72.31	65	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 9

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	77	70.64	32	29.36	109	100.00	5	20.83	19	79.17	24	100.00
FEMALE	63	78.75	17	21.25	80	100.00	12	38.71	19	61.29	31	100.00
TOTAL	140	74.07	49	25.93	189	100.00	17	30.91	38	69.09	55	100.00
AGE												
18-25	2	33.33	4	66.67	6	100.00	.	.	6	100.00	6	100.00
26-40	17	73.91	6	26.09	23	100.00	.	.	.	.	.	.
41-65	78	70.91	32	29.09	110	100.00	12	57.14	9	42.86	21	100.00
66-	43	86.00	7	14.00	50	100.00	5	17.86	23	82.14	28	100.00
TOTAL	140	74.07	49	25.93	189	100.00	17	30.91	38	69.09	55	100.00
PAYOR												
MEDICARE	44	84.62	8	15.38	52	100.00	5	17.86	23	82.14	28	100.00
MEDICAID	12	100.00	.	.	12	100.00	.	.	6	100.00	6	100.00
BCBSM	84	67.20	41	32.80	125	100.00	12	57.14	9	42.86	21	100.00
TOTAL	140	74.07	49	25.93	189	100.00	17	30.91	38	69.09	55	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 10

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	74	86.05	12	13.95	86	100.00	5	83.33	1	16.67	6	100.00
FEMALE	52	92.86	4	7.14	56	100.00	.	.	7	100.00	7	100.00
TOTAL	126	88.73	16	11.27	142	100.00	5	38.46	8	61.54	13	100.00
AGE												
18-25	25	92.59	2	7.41	27	100.00	.	.	.	.	.	.
26-40	43	93.48	3	6.52	46	100.00	.	.	.	.	.	.
41-65	35	81.40	8	18.60	43	100.00	5	83.33	1	16.67	6	100.00
66-	23	88.46	3	11.54	26	100.00	.	.	7	100.00	7	100.00
TOTAL	126	88.73	16	11.27	142	100.00	5	38.46	8	61.54	13	100.00
PAYOR												
MISSING	8	66.67	4	33.33	12	100.00	.	.	.	.	.	.
MEDICARE	29	90.63	3	9.38	32	100.00	5	41.67	7	58.33	12	100.00
MEDICAID	81	91.01	8	8.99	89	100.00	.	.	1	100.00	1	100.00
BCBSM	8	88.89	1	11.11	9	100.00	.	.	.	.	.	.
TOTAL	126	88.73	16	11.27	142	100.00	5	38.46	8	61.54	13	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 11

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	21	60.00	14	40.00	35	100.00	4	66.67	2	33.33	6	100.00
FEMALE	16	64.00	9	36.00	25	100.00	5	10.87	41	89.13	46	100.00
TOTAL	37	61.67	23	38.33	60	100.00	9	17.31	43	82.69	52	100.00
AGE												
18-25	12	100.00	.	.	12	100.00	.	.	.	.	.	.
41-65	9	50.00	9	50.00	18	100.00	6	20.69	23	79.31	29	100.00
66-	16	53.33	14	46.67	30	100.00	3	13.04	20	86.96	23	100.00
TOTAL	37	61.67	23	38.33	60	100.00	9	17.31	43	82.69	52	100.00
PAYOR												
MEDICARE	16	53.33	14	46.67	30	100.00	3	10.71	25	89.29	28	100.00
MEDICAID	6	40.00	9	60.00	15	100.00	.	.	.	.	.	.
BCBSM	15	100.00	.	.	15	100.00	6	25.00	18	75.00	24	100.00
TOTAL	37	61.67	23	38.33	60	100.00	9	17.31	43	82.69	52	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 12

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	38	67.86	18	32.14	56	100.00	.	.	34	100.00	34	100.00
FEMALE	91	77.78	26	22.22	117	100.00	1	4.17	23	95.83	24	100.00
TOTAL	129	74.57	44	25.43	173	100.00	1	1.72	57	98.28	58	100.00
AGE												
18-25	25	83.33	5	16.67	30	100.00	.	.	3	100.00	3	100.00
26-40	19	76.00	6	24.00	25	100.00	.	.	4	100.00	4	100.00
41-65	43	69.35	19	30.65	62	100.00	.	.	39	100.00	39	100.00
66-	42	75.00	14	25.00	56	100.00	1	8.33	11	91.67	12	100.00
TOTAL	129	74.57	44	25.43	173	100.00	1	1.72	57	98.28	58	100.00
PAYOR												
MEDICARE	56	75.68	18	24.32	74	100.00	1	3.70	26	96.30	27	100.00
MEDICAID	26	100.00	.	.	26	100.00	.	.	.	.	.	.
BCBSM	47	64.38	26	35.62	73	100.00	.	.	31	100.00	31	100.00
TOTAL	129	74.57	44	25.43	173	100.00	1	1.72	57	98.28	58	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 13

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	36	62.07	22	37.93	58	100.00	4	10.53	34	89.47	38	100.00
FEMALE	48	56.47	37	43.53	85	100.00	6	15.79	32	84.21	38	100.00
TOTAL	84	58.74	59	41.26	143	100.00	10	13.16	66	86.84	76	100.00
AGE												
18-25	6	85.71	1	14.29	7	100.00	.	.	.	.	.	.
26-40	9	60.00	6	40.00	15	100.00	.	.	14	100.00	14	100.00
41-65	43	59.72	29	40.28	72	100.00	6	18.75	26	81.25	32	100.00
66-	26	53.06	23	46.94	49	100.00	4	13.33	26	86.67	30	100.00
TOTAL	84	58.74	59	41.26	143	100.00	10	13.16	66	86.84	76	100.00
PAYOR												
MEDICARE	38	56.72	29	43.28	67	100.00	6	14.29	36	85.71	42	100.00
MEDICAID	6	75.00	2	25.00	8	100.00	.	.	.	.	.	.
BCBSM	40	58.82	28	41.18	68	100.00	4	11.76	30	88.24	34	100.00
TOTAL	84	58.74	59	41.26	143	100.00	10	13.16	66	86.84	76	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 14

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	23	65.71	12	34.29	35	100.00	.	.	13	100.00	13	100.00
FEMALE	36	54.55	30	45.45	66	100.00	13	20.31	51	79.69	64	100.00
TOTAL	59	58.42	42	41.58	101	100.00	13	16.88	64	83.12	77	100.00
AGE												
26-40	15	83.33	3	16.67	18	100.00	7	28.00	18	72.00	25	100.00
41-65	31	53.45	27	46.55	58	100.00	.	.	33	100.00	33	100.00
66-	13	52.00	12	48.00	25	100.00	6	31.58	13	68.42	19	100.00
TOTAL	59	58.42	42	41.58	101	100.00	13	16.88	64	83.12	77	100.00
PAYOR												
MEDICARE	13	52.00	12	48.00	25	100.00	6	31.58	13	68.42	19	100.00
MEDICAID	33	54.10	28	45.90	61	100.00	7	21.21	26	78.79	33	100.00
BCBSM	13	86.67	2	13.33	15	100.00	.	.	25	100.00	25	100.00
TOTAL	59	58.42	42	41.58	101	100.00	13	16.88	64	83.12	77	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 15

	MEDICAL ADMISSIONS															
	ACUTE								NONACUTE							
	MEDICAL DAYS								MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																
MALE	2	1.09	130	70.65	52	28.26	184	100.00	7	16.67	35	83.33	42	100.00		
FEMALE	1	0.60	109	65.66	56	33.73	166	100.00	9	19.15	38	80.85	47	100.00		
TOTAL	3	0.86	239	68.29	108	30.86	350	100.00	16	17.98	73	82.02	89	100.00		
AGE																
18-25	.	.	16	72.73	6	27.27	22	100.00	.	.	2	100.00	2	100.00		
26-40	1	1.75	46	80.70	10	17.54	57	100.00	1	14.29	6	85.71	7	100.00		
41-65	2	1.31	107	69.93	44	28.76	153	100.00	6	13.64	38	86.36	44	100.00		
66-	.	.	70	59.32	48	40.68	118	100.00	9	25.00	27	75.00	36	100.00		
TOTAL	3	0.86	239	68.29	108	30.86	350	100.00	16	17.98	73	82.02	89	100.00		
PAYOR																
MISSING	.	.	5	100.00	.	.	5	100.00	.	.	6	100.00	6	100.00		
MEDICARE	.	.	85	59.86	57	40.14	142	100.00	9	25.00	27	75.00	36	100.00		
MEDICAID	.	.	15	100.00	.	.	15	100.00	.	.	5	100.00	5	100.00		
BCBSM	3	1.60	134	71.28	51	27.13	188	100.00	7	16.67	35	83.33	42	100.00		
TOTAL	3	0.86	239	68.29	108	30.86	350	100.00	16	17.98	73	82.02	89	100.00		

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 16

	MEDICAL ADMISSIONS									
	ACUTE						NONACUTE			
	MEDICAL DAYS						MEDICAL DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
MALE	16	57.14	12	42.86	28	100.00	15	100.00	15	100.00
FEMALE	39	66.10	20	33.90	59	100.00	16	100.00	16	100.00
TOTAL	55	63.22	32	36.78	87	100.00	31	100.00	31	100.00
AGE										
18-25	1	100.00	.	.	1	100.00	.	.	.	.
26-40	7	87.50	1	12.50	8	100.00	6	100.00	6	100.00
41-65	13	56.52	10	43.48	23	100.00	6	100.00	6	100.00
66-	34	61.82	21	38.18	55	100.00	19	100.00	19	100.00
TOTAL	55	63.22	32	36.78	87	100.00	31	100.00	31	100.00
PAYOR										
MEDICARE	37	60.66	24	39.34	61	100.00	25	100.00	25	100.00
MEDICAID	2	66.67	1	33.33	3	100.00	6	100.00	6	100.00
BCBSM	16	69.57	7	30.43	23	100.00	.	.	.	.
TOTAL	55	63.22	32	36.78	87	100.00	31	100.00	31	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 17

	MEDICAL ADMISSIONS																	
	ACUTE								NONACUTE									
	MEDICAL DAYS								MEDICAL DAYS									
	MISSING		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																		
MALE	1	1.56	33	51.56	30	46.88	64	100.00	1	5.56	6	33.33	11	61.11	18	100.00		
FEMALE	3	3.95	48	63.16	25	32.89	76	100.00	.	.	8	21.62	29	78.38	37	100.00		
TOTAL	4	2.86	81	57.86	55	39.29	140	100.00	1	1.82	14	25.45	40	72.73	55	100.00		
AGE																		
18-25	1	7.14	10	71.43	3	21.43	14	100.00	1	100.00	.	.	.	.	1	100.00		
26-40	1	5.88	10	58.82	6	35.29	17	100.00	.	.	3	16.67	15	83.33	18	100.00		
41-65	1	1.54	39	60.00	25	38.46	65	100.00	.	.	5	22.73	17	77.27	22	100.00		
66-	1	2.27	22	50.00	21	47.73	44	100.00	.	.	6	42.86	8	57.14	14	100.00		
TOTAL	4	2.86	81	57.86	55	39.29	140	100.00	1	1.82	14	25.45	40	72.73	55	100.00		
PAYOR																		
MISSING	.	.	.	.	1	100.00	1	100.00	.	.	.	.	.	.	.	.		
MEDICARE	1	1.75	29	50.88	27	47.37	57	100.00	1	6.25	6	37.50	9	56.25	16	100.00		
MEDICAID	1	5.00	10	50.00	9	45.00	20	100.00	.	.	.	.	1	100.00	1	100.00		
BCBSM	2	3.23	42	67.74	18	29.03	62	100.00	.	.	8	21.05	30	78.95	38	100.00		
TOTAL	4	2.86	81	57.86	55	39.29	140	100.00	1	1.82	14	25.45	40	72.73	55	100.00		

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 18

	MEDICAL ADMISSIONS													
	ACUTE								NONACUTE					
	MEDICAL DAYS								MEDICAL DAYS					
	MISSING		ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	.	.	160	75.83	51	24.17	211	100.00	10	31.25	22	68.75	32	100.00
FEMALE	1	0.54	139	75.54	44	23.91	184	100.00	14	36.84	24	63.16	38	100.00
TOTAL	1	0.25	299	75.70	95	24.05	395	100.00	24	34.29	46	65.71	70	100.00
AGE														
18-25	.	.	19	73.08	7	26.92	26	100.00	.	.	.	.	.	.
26-40	.	.	44	68.75	20	31.25	64	100.00	.	.	.	.	.	.
41-65	1	0.59	125	73.96	43	25.44	169	100.00	8	20.00	32	80.00	40	100.00
66-	.	.	111	81.62	25	18.38	136	100.00	16	53.33	14	46.67	30	100.00
TOTAL	1	0.25	299	75.70	95	24.05	395	100.00	24	34.29	46	65.71	70	100.00
PAYOR														
MEDICARE	.	.	117	78.52	32	21.48	149	100.00	18	45.00	22	55.00	40	100.00
MEDICAID	.	.	33	76.74	10	23.26	43	100.00	.	.	.	.	.	.
BCBSM	1	0.49	149	73.40	53	26.11	203	100.00	6	20.00	24	80.00	30	100.00
TOTAL	1	0.25	299	75.70	95	24.05	395	100.00	24	34.29	46	65.71	70	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 19

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	46	70.77	19	29.23	65	100.00	6	17.14	29	82.86	35	100.00
FEMALE	36	53.73	31	46.27	67	100.00	.	.	21	100.00	21	100.00
TOTAL	82	62.12	50	37.88	132	100.00	6	10.71	50	89.29	56	100.00
AGE												
18-25	5	62.50	3	37.50	8	100.00	2	100.00	.	.	2	100.00
26-40	10	43.48	13	56.52	23	100.00	.	.	11	100.00	11	100.00
41-65	42	72.41	16	27.59	58	100.00	4	10.53	34	89.47	38	100.00
66-	25	58.14	18	41.86	43	100.00	.	.	5	100.00	5	100.00
TOTAL	82	62.12	50	37.88	132	100.00	6	10.71	50	89.29	56	100.00
PAYOR												
MEDICARE	27	58.70	19	41.30	46	100.00	.	.	6	100.00	6	100.00
MEDICAID	12	60.00	8	40.00	20	100.00	2	25.00	6	75.00	8	100.00
BCBSM	43	65.15	23	34.85	66	100.00	4	9.52	38	90.48	42	100.00
TOTAL	82	62.12	50	37.88	132	100.00	6	10.71	50	89.29	56	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 20

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	47	60.26	31	39.74	78	100.00	7	38.89	11	61.11	18	100.00
FEMALE	65	76.47	20	23.53	85	100.00	.	.	23	100.00	23	100.00
TOTAL	112	68.71	51	31.29	163	100.00	7	17.07	34	82.93	41	100.00
AGE												
18-25	7	53.85	6	46.15	13	100.00	.	.	.	.	.	.
26-40	25	78.13	7	21.88	32	100.00	.	.	.	.	.	.
41-65	61	64.89	33	35.11	94	100.00	1	5.56	17	94.44	18	100.00
66-	19	79.17	5	20.83	24	100.00	6	26.09	17	73.91	23	100.00
TOTAL	112	68.71	51	31.29	163	100.00	7	17.07	34	82.93	41	100.00
PAYOR												
MISSING	2	33.33	4	66.67	6	100.00	.	.	.	.	.	.
MEDICARE	32	72.73	12	27.27	44	100.00	6	24.00	19	76.00	25	100.00
MEDICAID	13	68.42	6	31.58	19	100.00	.	.	.	.	.	.
BCBSM	65	69.15	29	30.85	94	100.00	1	6.25	15	93.75	16	100.00
TOTAL	112	68.71	51	31.29	163	100.00	7	17.07	34	82.93	41	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 21

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	38	88.37	5	11.63	43	100.00	1	6.67	14	93.33	15	100.00
FEMALE	55	74.32	19	25.68	74	100.00	.	.	7	100.00	7	100.00
TOTAL	93	79.49	24	20.51	117	100.00	1	4.55	21	95.45	22	100.00
AGE												
18-25	8	100.00	.	.	8	100.00	.	.	3	100.00	3	100.00
26-40	21	80.77	5	19.23	26	100.00	.	.	1	100.00	1	100.00
41-65	35	70.00	15	30.00	50	100.00	.	.	9	100.00	9	100.00
66-	29	87.88	4	12.12	33	100.00	1	11.11	8	88.89	9	100.00
TOTAL	93	79.49	24	20.51	117	100.00	1	4.55	21	95.45	22	100.00
PAYOR												
MEDICARE	35	85.37	6	14.63	41	100.00	1	8.33	11	91.67	12	100.00
MEDICAID	27	79.41	7	20.59	34	100.00	.	.	.	.	.	.
BCBSM	31	73.81	11	26.19	42	100.00	.	.	10	100.00	10	100.00
TOTAL	93	79.49	24	20.51	117	100.00	1	4.55	21	95.45	22	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY TEACHING STATUS

TEACHING STATUS = TEACHING

	MEDICAL ADMISSIONS															
	ACUTE								NONACUTE							
	MEDICAL DAYS								MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																
MALE	2	0.21	739	78.12	205	21.67	946	100.00	66	25.88	189	74.12	255	100.00		
FEMALE	4	0.41	741	75.30	239	24.29	984	100.00	43	19.63	176	80.37	219	100.00		
TOTAL	6	0.31	1480	76.68	444	23.01	1930	100.00	109	23.00	365	77.00	474	100.00		
AGE																
18-25	.	.	139	82.74	29	17.26	168	100.00	.	.	16	100.00	16	100.00		
26-40	1	0.30	272	80.47	65	19.23	338	100.00	10	25.64	29	74.36	39	100.00		
41-65	5	0.57	660	75.34	211	24.09	876	100.00	51	20.08	203	79.92	254	100.00		
66-	.	.	409	74.64	139	25.36	548	100.00	48	29.09	117	70.91	165	100.00		
TOTAL	6	0.31	1480	76.68	444	23.01	1930	100.00	109	23.00	365	77.00	474	100.00		
PAYOR																
MISSING	.	.	27	84.38	5	15.63	32	100.00	3	25.00	9	75.00	12	100.00		
MEDICARE	.	.	516	75.99	163	24.01	679	100.00	59	28.78	146	71.22	205	100.00		
MEDICAID	.	.	200	82.99	41	17.01	241	100.00	.	.	33	100.00	33	100.00		
BCBSM	6	0.61	737	75.36	235	24.03	978	100.00	47	20.98	177	79.02	224	100.00		
TOTAL	6	0.31	1480	76.68	444	23.01	1930	100.00	109	23.00	365	77.00	474	100.00		

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY TEACHING STATUS

TEACHING STATUS = NON TEACHING

	MEDICAL ADMISSIONS															
	ACUTE								NONACUTE							
	MEDICAL DAYS								MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX																
MALE	1	0.12	546	65.94	281	33.94	828	100.00	1	0.28	80	22.66	272	77.05	353	100.00
FEMALE	3	0.26	758	66.90	372	32.83	1133	100.00	.	.	92	15.83	489	84.17	581	100.00
TOTAL	4	0.20	1304	66.50	653	33.30	1961	100.00	1	0.11	172	18.42	761	81.48	934	100.00
AGE																
18-25	1	0.88	82	71.93	31	27.19	114	100.00	1	3.23	2	6.45	28	90.32	31	100.00
26-40	1	0.37	181	66.79	89	32.84	271	100.00	.	.	19	14.39	113	85.61	132	100.00
41-65	1	0.10	636	66.46	320	33.44	957	100.00	.	.	99	20.20	391	79.80	490	100.00
66-	1	0.16	405	65.43	213	34.41	619	100.00	.	.	52	18.51	229	81.49	281	100.00
TOTAL	4	0.20	1304	66.50	653	33.30	1961	100.00	1	0.11	172	18.42	761	81.48	934	100.00
PAYOR																
MISSING	.	.	2	28.57	5	71.43	7	100.00	.	.	.	.	3	100.00	3	100.00
MEDICARE	1	0.14	465	66.15	237	33.71	703	100.00	1	0.31	61	19.18	256	80.50	318	100.00
MEDICAID	1	0.36	164	59.42	111	40.22	276	100.00	.	.	16	12.40	113	87.60	129	100.00
BCBSM	2	0.21	673	69.03	300	30.77	975	100.00	.	.	95	19.63	389	80.37	484	100.00
TOTAL	4	0.20	1304	66.50	653	33.30	1961	100.00	1	0.11	172	18.42	761	81.48	934	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY BED SIZE

BED SIZE = LESS 150

	MEDICAL ADMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	7	30.43	16	69.57	23	100.00	19	20.00	76	80.00	95	100.00
FEMALE	56	54.37	47	45.63	103	100.00	6	4.96	115	95.04	121	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00
AGE												
18-25	11	73.33	4	26.67	15	100.00	.	.	11	100.00	11	100.00
26-40	14	41.18	20	58.82	34	100.00	.	.	16	100.00	16	100.00
41-65	23	43.40	30	56.60	53	100.00	13	9.70	121	90.30	134	100.00
66-	15	62.50	9	37.50	24	100.00	12	21.82	43	78.18	55	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00
PAYOR												
MISSING	.	.	.	.	.	.	.	.	3	100.00	3	100.00
MEDICARE	15	83.33	3	16.67	18	100.00	12	21.82	43	78.18	55	100.00
MEDICAID	22	44.00	28	56.00	50	100.00	5	11.36	39	88.64	44	100.00
BCBSM	26	44.83	32	55.17	58	100.00	8	7.02	106	92.98	114	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY BED SIZE

BED SIZE = 150 TO 250

	MEDICAL ADMISSIONS																	
	ACUTE								NONACUTE									
	MEDICAL DAYS								MEDICAL DAYS									
	MISSING		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																		
MALE	1	0.32	211	68.06	98	31.61	310	100.00	1	1.35	17	22.97	56	75.68	74	100.00		
FEMALE	3	0.85	233	66.01	117	33.14	353	100.00	.	.	17	14.78	98	85.22	115	100.00		
TOTAL	4	0.60	444	66.97	215	32.43	663	100.00	1	0.53	34	17.99	154	81.48	189	100.00		
AGE																		
18-25	1	1.72	44	75.86	13	22.41	58	100.00	1	33.33	2	66.67	.	.	3	100.00		
26-40	1	0.76	92	69.70	39	29.55	132	100.00	.	.	3	7.69	36	92.31	39	100.00		
41-65	1	0.40	169	67.33	81	32.27	251	100.00	.	.	23	27.38	61	72.62	84	100.00		
66-	1	0.45	139	62.61	82	36.94	222	100.00	.	.	6	9.52	57	90.48	63	100.00		
TOTAL	4	0.60	444	66.97	215	32.43	663	100.00	1	0.53	34	17.99	154	81.48	189	100.00		
PAYOR																		
MISSING	.	.	8	61.54	5	38.46	13	100.00	.	.	.	.	.	.	.	.		
MEDICARE	1	0.39	161	62.89	94	36.72	256	100.00	1	1.30	11	14.29	65	84.42	77	100.00		
MEDICAID	1	0.74	107	78.68	28	20.59	136	100.00	.	.	2	10.00	18	90.00	20	100.00		
BCBSM	2	0.78	168	65.12	88	34.11	258	100.00	.	.	21	22.83	71	77.17	92	100.00		
TOTAL	4	0.60	444	66.97	215	32.43	663	100.00	1	0.53	34	17.99	154	81.48	189	100.00		

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY BED SIZE

BED SIZE = OVER 250

	MEDICAL ADMISSIONS															
	ACUTE								NONACUTE							
	MEDICAL DAYS								MEDICAL DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																
MALE	2	0.14	1067	74.05	372	25.82	1441	100.00	110	25.06	329	74.94	439	100.00		
FEMALE	4	0.24	1210	72.85	447	26.91	1661	100.00	112	19.86	452	80.14	564	100.00		
TOTAL	6	0.19	2277	73.40	819	26.40	3102	100.00	222	22.13	781	77.87	1003	100.00		
AGE																
18-25	.	.	166	79.43	43	20.57	209	100.00	.	.	33	100.00	33	100.00		
26-40	1	0.23	347	78.33	95	21.44	443	100.00	26	22.41	90	77.59	116	100.00		
41-65	5	0.33	1104	72.20	420	27.47	1529	100.00	114	21.67	412	78.33	526	100.00		
66-	.	.	660	71.66	261	28.34	921	100.00	82	25.00	246	75.00	328	100.00		
TOTAL	6	0.19	2277	73.40	819	26.40	3102	100.00	222	22.13	781	77.87	1003	100.00		
PAYOR																
MISSING	.	.	21	80.77	5	19.23	26	100.00	3	25.00	9	75.00	12	100.00		
MEDICARE	.	.	805	72.65	303	27.35	1108	100.00	97	24.81	294	75.19	391	100.00		
MEDICAID	.	.	235	71.00	96	29.00	331	100.00	9	9.18	89	90.82	98	100.00		
BCBSM	6	0.37	1216	74.28	415	25.35	1637	100.00	113	22.51	389	77.49	502	100.00		
TOTAL	6	0.19	2277	73.40	819	26.40	3102	100.00	222	22.13	781	77.87	1003	100.00		

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY OCCUPANCY RATE

OCCUPANCY RATE = LESS 60%

	MEDICAL AOMISSIONS											
	ACUTE						NONACUTE					
	MEDICAL DAYS						MEDICAL DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	7	30.43	16	69.57	23	100.00	19	20.00	76	80.00	95	100.00
FEMALE	56	54.37	47	45.63	103	100.00	6	4.96	115	95.04	121	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00
AGE												
18-25	11	73.33	4	26.67	15	100.00	.	.	11	100.00	11	100.00
26-40	14	41.18	20	58.82	34	100.00	.	.	16	100.00	16	100.00
41-65	23	43.40	30	56.60	53	100.00	13	9.70	121	90.30	134	100.00
66-	15	62.50	9	37.50	24	100.00	12	21.82	43	78.18	55	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00
PAYOR												
MISSING	.	.	.	.	.	.	.	.	3	100.00	3	100.00
MEDICARE	15	83.33	3	16.67	18	100.00	12	21.82	43	78.18	55	100.00
MEDICAID	22	44.00	28	56.00	50	100.00	5	11.36	39	88.64	44	100.00
BCBSM	26	44.83	32	55.17	58	100.00	8	7.02	106	92.98	114	100.00
TOTAL	63	50.00	63	50.00	126	100.00	25	11.57	191	88.43	216	100.00

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY OCCUPANCY RATE

OCCUPANCY RATE = 60% TO 80%

	MEDICAL ADMISSIONS																	
	ACUTE								NONACUTE									
	MEDICAL DAYS								MEDICAL DAYS									
	MISSING		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																		
MALE	1	0.37	182	67.16	88	32.47	271	100.00	1	1.11	15	16.67	74	82.22	90	100.00		
FEMALE	3	0.88	223	65.20	116	33.92	342	100.00	.	.	27	16.67	135	83.33	162	100.00		
TOTAL	4	0.65	405	66.07	204	33.28	613	100.00	1	0.40	42	16.67	209	82.94	252	100.00		
AGE																		
18-25	1	2.04	42	85.71	6	12.24	49	100.00	1	100.00	.	.	.	.	1	100.00		
26-40	1	0.96	84	80.77	19	18.27	104	100.00	.	.	10	15.87	53	84.13	63	100.00		
41-65	1	0.38	161	61.69	99	37.93	261	100.00	.	.	16	16.16	83	83.84	99	100.00		
66-	1	0.50	118	59.30	80	40.20	199	100.00	.	.	16	17.98	73	82.02	89	100.00		
TOTAL	4	0.65	405	66.07	204	33.28	613	100.00	1	0.40	42	16.67	209	82.94	252	100.00		
PAYOR																		
MISSING	.	.	8	61.54	5	38.46	13	100.00	.	.	.	.	.	.	.	.		
MEDICARE	1	0.41	146	60.33	95	39.26	242	100.00	1	0.88	23	20.18	90	78.95	114	100.00		
MEDICAID	1	0.55	132	72.93	48	26.52	181	100.00	.	.	7	17.07	34	82.93	41	100.00		
BCBSM	2	1.13	119	67.23	56	31.64	177	100.00	.	.	12	12.37	85	87.63	97	100.00		
TOTAL	4	0.65	405	66.07	204	33.28	613	100.00	1	0.40	42	16.67	209	82.94	252	100.00		

ACUTE AND NONACUTE DAYS WITHIN ACUTE AND NONACUTE ADMISSIONS
BY OCCUPANCY RATE

OCCUPANCY RATE = OVER 80%

	MEDICAL ADMISSIONS													
	ACUTE								NONACUTE					
	MEDICAL DAYS								MEDICAL DAYS					
	MISSING		ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	2	0.14	1096	74.05	382	25.81	1480	100.00	112	26.48	311	73.52	423	100.00
FEMALE	4	0.24	1220	72.97	448	26.79	1672	100.00	102	19.73	415	80.27	517	100.00
TOTAL	6	0.19	2316	73.48	830	26.33	3152	100.00	214	22.77	726	77.23	940	100.00
AGE														
18-25	.	.	168	77.06	50	22.94	218	100.00	2	5.71	33	94.29	35	100.00
26-40	1	0.21	355	75.37	115	24.42	471	100.00	19	20.65	73	79.35	92	100.00
41-65	5	0.33	1112	73.21	402	26.46	1519	100.00	121	23.68	390	76.32	511	100.00
66-	.	.	681	72.14	263	27.86	944	100.00	72	23.84	230	76.16	302	100.00
TOTAL	6	0.19	2316	73.48	830	26.33	3152	100.00	214	22.77	726	77.23	940	100.00
PAYOR														
MISSING	.	.	21	80.77	5	19.23	26	100.00	3	25.00	9	75.00	12	100.00
MEDICARE	.	.	820	73.08	302	26.92	1122	100.00	85	24.01	269	75.99	354	100.00
MEDICAID	.	.	210	73.43	76	26.57	286	100.00	4	5.19	73	94.81	77	100.00
BCBSM	6	0.35	1265	73.63	447	26.02	1718	100.00	122	24.55	375	75.45	497	100.00
TOTAL	6	0.19	2316	73.48	830	26.33	3152	100.00	214	22.77	726	77.23	940	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

TOTAL

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	1.42	106	75.18	33	23.40	141	100.00
FEMALE	2	1.23	131	80.86	29	17.90	162	100.00
TOTAL	4	1.32	237	78.22	62	20.46	303	100.00
AGE								
18-25	.	.	21	60.00	14	40.00	35	100.00
26-40	2	3.57	43	76.79	11	19.64	56	100.00
41-65	2	1.41	111	78.17	29	20.42	142	100.00
66-	.	.	62	88.57	8	11.43	70	100.00
TOTAL	4	1.32	237	78.22	62	20.46	303	100.00
PAYOR								
MISSING	.	.	2	66.67	1	33.33	3	100.00
MEDICARE	.	.	75	86.21	12	13.79	87	100.00
MEDICAID	.	.	18	81.82	4	18.18	22	100.00
BCBSM	4	2.09	142	74.35	45	23.56	191	100.00
TOTAL	4	1.32	237	78.22	62	20.46	303	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 1

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	15.38	10	76.92	1	7.69	13	100.00
FEMALE	.	.	8	88.89	1	11.11	9	100.00
TOTAL	2	9.09	18	81.82	2	9.09	22	100.00
AGE								
18-25	.	.	2	100.00	.	.	2	100.00
26-40	1	33.33	2	66.67	.	.	3	100.00
41-65	1	7.14	11	78.57	2	14.29	14	100.00
66-	.	.	3	100.00	.	.	3	100.00
TOTAL	2	9.09	18	81.82	2	9.09	22	100.00
PAYOR								
MEDICARE	.	.	4	100.00	.	.	4	100.00
MEDICAID	.	.	.	.	1	100.00	1	100.00
BCBSM	2	11.76	14	82.35	1	5.88	17	100.00
TOTAL	2	9.09	18	81.82	2	9.09	22	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 2

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	7	87.50	1	12.50	8	100.00
FEMALE	1	14.29	6	85.71	.	.	7	100.00
TOTAL	1	6.67	13	86.67	1	6.67	15	100.00
AGE								
18-25	.	.	3	75.00	1	25.00	4	100.00
26-40	.	.	2	100.00	.	.	2	100.00
41-65	1	14.29	6	85.71	.	.	7	100.00
66-	.	.	2	100.00	.	.	2	100.00
TOTAL	1	6.67	13	86.67	1	6.67	15	100.00
PAYOR								
MEDICARE	.	.	1	100.00	.	.	1	100.00
MEDICAID	.	.	1	50.00	1	50.00	2	100.00
BCBSM	1	8.33	11	91.67	.	.	12	100.00
TOTAL	1	6.67	13	86.67	1	6.67	15	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 3

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	3	60.00	2	40.00	5	100.00
TOTAL	3	60.00	2	40.00	5	100.00
AGE						
26-40	2	50.00	2	50.00	4	100.00
41-65	1	100.00	.	.	1	100.00
TOTAL	3	60.00	2	40.00	5	100.00
PAYOR						
MEDICAID	2	100.00	.	.	2	100.00
BCBSM	1	33.33	2	66.67	3	100.00
TOTAL	3	60.00	2	40.00	5	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 4

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	8	80.00	2	20.00	10	100.00
FEMALE	8	88.89	1	11.11	9	100.00
TOTAL	16	84.21	3	15.79	19	100.00
AGE						
18-25	3	100.00	.	.	3	100.00
26-40	7	87.50	1	12.50	8	100.00
41-65	3	60.00	2	40.00	5	100.00
66-	3	100.00	.	.	3	100.00
TOTAL	16	84.21	3	15.79	19	100.00
PAYOR						
MISSING	1	100.00	.	.	1	100.00
MEDICARE	5	100.00	.	.	5	100.00
BCBSM	10	76.92	3	23.08	13	100.00
TOTAL	16	84.21	3	15.79	19	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 5

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	5	83.33	1	16.67	6	100.00
FEMALE	5	100.00	.	.	5	100.00
TOTAL	10	90.91	1	9.09	11	100.00
AGE						
18-25	1	100.00	.	.	1	100.00
26-40	4	100.00	.	.	4	100.00
41-65	4	80.00	1	20.00	5	100.00
66-	1	100.00	.	.	1	100.00
TOTAL	10	90.91	1	9.09	11	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
BCBSM	9	90.00	1	10.00	10	100.00
TOTAL	10	90.91	1	9.09	11	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 6

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	15	83.33	3	16.67	18	100.00
FEMALE	10	83.33	2	16.67	12	100.00
TOTAL	25	83.33	5	16.67	30	100.00
AGE						
26-40	2	66.67	1	33.33	3	100.00
41-65	10	71.43	4	28.57	14	100.00
66-	13	100.00	.	.	13	100.00
TOTAL	25	83.33	5	16.67	30	100.00
PAYOR						
MEDICARE	13	100.00	.	.	13	100.00
BCBSM	12	70.59	5	29.41	17	100.00
TOTAL	25	83.33	5	16.67	30	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 7

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	3	50.00	3	50.00	6	100.00
FEMALE	4	57.14	3	42.86	7	100.00
TOTAL	7	53.85	6	46.15	13	100.00
AGE						
18-25	2	40.00	3	60.00	5	100.00
26-40	.	.	1	100.00	1	100.00
41-65	4	80.00	1	20.00	5	100.00
66-	1	50.00	1	50.00	2	100.00
TOTAL	7	53.85	6	46.15	13	100.00
PAYOR						
MEDICARE	1	50.00	1	50.00	2	100.00
MEDICAID	1	100.00	.	.	1	100.00
BCBSM	5	50.00	5	50.00	10	100.00
TOTAL	7	53.85	6	46.15	13	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 8

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	4	100.00	.	.	4	100.00
FEMALE	1	14.29	5	71.43	1	14.29	7	100.00
TOTAL	1	9.09	9	81.82	1	9.09	11	100.00
AGE								
26-40	1	50.00	1	50.00	.	.	2	100.00
41-65	.	.	5	83.33	1	16.67	6	100.00
66-	.	.	3	100.00	.	.	3	100.00
TOTAL	1	9.09	9	81.82	1	9.09	11	100.00
PAYOR								
MEDICARE	.	.	4	100.00	.	.	4	100.00
BCBSM	1	14.29	5	71.43	1	14.29	7	100.00
TOTAL	1	9.09	9	81.82	1	9.09	11	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 9

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	6	85.71	1	14.29	7	100.00
FEMALE	5	83.33	1	16.67	6	100.00
TOTAL	11	84.62	2	15.38	13	100.00
AGE						
26-40	2	100.00	.	.	2	100.00
41-65	4	80.00	1	20.00	5	100.00
66-	5	83.33	1	16.67	6	100.00
TOTAL	11	84.62	2	15.38	13	100.00
PAYOR						
MEDICARE	6	75.00	2	25.00	8	100.00
BCBSM	5	100.00	.	.	5	100.00
TOTAL	11	84.62	2	15.38	13	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 10

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	2	66.67	1	33.33	3	100.00
FEMALE	2	66.67	1	33.33	3	100.00
TOTAL	4	66.67	2	33.33	6	100.00
AGE						
18-25	2	66.67	1	33.33	3	100.00
26-40	1	100.00	.	.	1	100.00
41-65	1	50.00	1	50.00	2	100.00
TOTAL	4	66.67	2	33.33	6	100.00
PAYOR						
MEDICAID	4	80.00	1	20.00	5	100.00
BCBSM	.	.	1	100.00	1	100.00
TOTAL	4	66.67	2	33.33	6	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 11

	SURGICAL ADMISSIONS			
	ACUTE		TOTAL	
	NO.	%	NO.	%
SEX				
MALE	1	100.00	1	100.00
FEMALE	1	100.00	1	100.00
TOTAL	2	100.00	2	100.00
AGE				
18-25	2	100.00	2	100.00
TOTAL	2	100.00	2	100.00
PAYOR				
MEDICAID	1	100.00	1	100.00
BCBSM	1	100.00	1	100.00
TOTAL	2	100.00	2	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 12

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	.	.	2	100.00	2	100.00
FEMALE	6	85.71	1	14.29	7	100.00
TOTAL	6	66.67	3	33.33	9	100.00
AGE						
18-25	.	.	1	100.00	1	100.00
26-40	3	75.00	1	25.00	4	100.00
41-65	3	75.00	1	25.00	4	100.00
TOTAL	6	66.67	3	33.33	9	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
MEDICAID	1	100.00	.	.	1	100.00
BCBSM	4	57.14	3	42.86	7	100.00
TOTAL	6	66.67	3	33.33	9	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 13

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	2	40.00	3	60.00	5	100.00
FEMALE	8	88.89	1	11.11	9	100.00
TOTAL	10	71.43	4	28.57	14	100.00
AGE						
18-25	.	.	1	100.00	1	100.00
26-40	1	100.00	.	.	1	100.00
41-65	5	71.43	2	28.57	7	100.00
66-	4	80.00	1	20.00	5	100.00
TOTAL	10	71.43	4	28.57	14	100.00
PAYOR						
MEDICARE	5	83.33	1	16.67	6	100.00
BCBSM	5	62.50	3	37.50	8	100.00
TOTAL	10	71.43	4	28.57	14	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 14

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	3	75.00	1	25.00	4	100.00
TOTAL	3	75.00	1	25.00	4	100.00
AGE						
26-40	.	.	1	100.00	1	100.00
41-65	2	100.00	.	.	2	100.00
66-	1	100.00	.	.	1	100.00
TOTAL	3	75.00	1	25.00	4	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
MEDICAID	1	50.00	1	50.00	2	100.00
BCBSM	1	100.00	.	.	1	100.00
TOTAL	3	75.00	1	25.00	4	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 15

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	10	50.00	10	50.00	20	100.00
FEMALE	15	71.43	6	28.57	21	100.00
TOTAL	25	60.98	16	39.02	41	100.00
AGE						
18-25	2	40.00	3	60.00	5	100.00
26-40	4	66.67	2	33.33	6	100.00
41-65	13	61.90	8	38.10	21	100.00
66-	6	66.67	3	33.33	9	100.00
TOTAL	25	60.98	16	39.02	41	100.00
PAYOR						
MISSING	1	100.00	.	.	1	100.00
MEDICARE	8	66.67	4	33.33	12	100.00
MEDICAID	1	100.00	.	.	1	100.00
BCBSM	15	55.56	12	44.44	27	100.00
TOTAL	25	60.98	16	39.02	41	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 16

	SURGICAL ADMISSIONS			
	ACUTE		TOTAL	
	NO.	%	NO.	%
SEX				
FEMALE	2	100.00	2	100.00
TOTAL	2	100.00	2	100.00
AGE				
26-40	1	100.00	1	100.00
66-	1	100.00	1	100.00
TOTAL	2	100.00	2	100.00
PAYOR				
MEDICARE	1	100.00	1	100.00
BCBSM	1	100.00	1	100.00
TOTAL	2	100.00	2	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 17

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	4	66.67	2	33.33	6	100.00
FEMALE	4	66.67	2	33.33	6	100.00
TOTAL	8	66.67	4	33.33	12	100.00
AGE						
18-25	1	25.00	3	75.00	4	100.00
26-40	3	100.00	.	.	3	100.00
41-65	3	100.00	.	.	3	100.00
66-	1	50.00	1	50.00	2	100.00
TOTAL	8	66.67	4	33.33	12	100.00
PAYOR						
MISSING	.	.	1	100.00	1	100.00
MEDICARE	2	66.67	1	33.33	3	100.00
MEDICAID	1	100.00	.	.	1	100.00
BCBSM	5	71.43	2	28.57	7	100.00
TOTAL	8	66.67	4	33.33	12	100.00

SURGICAL AOMISSIONS BY ACUTE AND NONACUTE AOMISSIONS

HOSPITAL 18

	SURGICAL AOMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	11	84.62	2	15.38	13	100.00
FEMALE	20	76.92	6	23.08	26	100.00
TOTAL	31	79.49	8	20.51	39	100.00
AGE						
26-40	3	60.00	2	40.00	5	100.00
41-65	18	78.26	5	21.74	23	100.00
66-	10	90.91	1	9.09	11	100.00
TOTAL	31	79.49	8	20.51	39	100.00
PAYOR						
MEDICARE	10	76.92	3	23.08	13	100.00
BCBSM	21	80.77	5	19.23	26	100.00
TOTAL	31	79.49	8	20.51	39	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 19

	SURGICAL ADMISSIONS			
	ACUTE		TOTAL	
	NO.	%	NO.	%
SEX				
MALE	7	100.00	7	100.00
FEMALE	6	100.00	6	100.00
TOTAL	13	100.00	13	100.00
AGE				
18-25	1	100.00	1	100.00
26-40	2	100.00	2	100.00
41-65	6	100.00	6	100.00
66-	4	100.00	4	100.00
TOTAL	13	100.00	13	100.00
PAYOR				
MEDICARE	6	100.00	6	100.00
MEDICAID	4	100.00	4	100.00
BCBSM	3	100.00	3	100.00
TOTAL	13	100.00	13	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 20

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	8	88.89	1	11.11	9	100.00
FEMALE	7	100.00	.	.	7	100.00
TOTAL	15	93.75	1	6.25	16	100.00
AGE						
18-25	2	66.67	1	33.33	3	100.00
26-40	2	100.00	.	.	2	100.00
41-65	9	100.00	.	.	9	100.00
66-	2	100.00	.	.	2	100.00
TOTAL	15	93.75	1	6.25	16	100.00
PAYOR						
MEDICARE	4	100.00	.	.	4	100.00
MEDICAID	1	100.00	.	.	1	100.00
BCBSM	10	90.91	1	9.09	11	100.00
TOTAL	15	93.75	1	6.25	16	100.00

SURGICAL ADMISSIONS BY ACUTE AND NONACUTE ADMISSIONS

HOSPITAL 21

	SURGICAL ADMISSIONS			
	ACUTE		TOTAL	
	NO.	%	NO.	%
SEX				
MALE	3	100.00	3	100.00
FEMALE	3	100.00	3	100.00
TOTAL	6	100.00	6	100.00
AGE				
26-40	1	100.00	1	100.00
41-65	3	100.00	3	100.00
66-	2	100.00	2	100.00
TOTAL	6	100.00	6	100.00
PAYOR				
MEDICARE	2	100.00	2	100.00
BCBSM	4	100.00	4	100.00
TOTAL	6	100.00	6	100.00

SURGICAL ADMISSIONS BY TEACHING STATUS

TEACHING STATUS IS TEACHING

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	2.78	51	70.83	19	26.39	72	100.00
FEMALE	1	1.18	68	80.00	16	18.82	85	100.00
TOTAL	3	1.91	119	75.80	35	22.29	157	100.00
AGE								
18-25	.	.	12	66.67	6	33.33	18	100.00
26-40	1	3.33	23	76.67	6	20.00	30	100.00
41-65	2	2.53	58	73.42	19	24.05	79	100.00
66-	.	.	26	86.67	4	13.33	30	100.00
TOTAL	3	1.91	119	75.80	35	22.29	157	100.00
PAYOR								
MISSING	.	.	2	100.00	.	.	2	100.00
MEDICARE	.	.	31	81.58	7	18.42	38	100.00
MEDICAID	.	.	7	70.00	3	30.00	10	100.00
BCBSM	3	2.80	79	73.83	25	23.36	107	100.00
TOTAL	3	1.91	119	75.80	35	22.29	157	100.00

SURGICAL ADMISSIONS BY TEACHING STATUS

TEACHING STATUS IS NON TEACHING

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	55	79.71	14	20.29	69	100.00
FEMALE	1	1.30	63	81.82	13	16.88	77	100.00
TOTAL	1	0.68	118	80.82	27	18.49	146	100.00
AGE								
18-25	.	.	9	52.94	8	47.06	17	100.00
26-40	1	3.85	20	76.92	5	19.23	26	100.00
41-65	.	.	53	84.13	10	15.87	63	100.00
66-	.	.	36	90.00	4	10.00	40	100.00
TOTAL	1	0.68	118	80.82	27	18.49	146	100.00
PAYOR								
MISSING	.	.	.	.	1	100.00	1	100.00
MEDICARE	.	.	44	89.80	5	10.20	49	100.00
MEDICAID	.	.	11	91.67	1	8.33	12	100.00
BCBSM	1	1.19	63	75.00	20	23.81	84	100.00
TOTAL	1	0.68	118	80.82	27	18.49	146	100.00

SURGICAL ADMISSIONS BY BED SIZE

BED SIZE IS LESS 150

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	3	60.00	2	40.00	5	100.00
TOTAL	3	60.00	2	40.00	5	100.00
AGE						
26-40	2	50.00	2	50.00	4	100.00
41-65	1	100.00	.	.	1	100.00
TOTAL	3	60.00	2	40.00	5	100.00
PAYOR						
MEDICAID	2	100.00	.	.	2	100.00
BCBSM	1	33.33	2	66.67	3	100.00
TOTAL	3	60.00	2	40.00	5	100.00

SURGICAL ADMISSIONS BY BED SIZE

BED SIZE IS 150 TO 250

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	16	72.73	6	27.27	22	100.00
FEMALE	18	75.00	6	25.00	24	100.00
TOTAL	34	73.91	12	26.09	46	100.00
AGE						
18-25	6	46.15	7	53.85	13	100.00
26-40	7	87.50	1	12.50	8	100.00
41-65	14	87.50	2	12.50	16	100.00
66-	7	77.78	2	22.22	9	100.00
TOTAL	34	73.91	12	26.09	46	100.00
PAYOR						
MISSING	.	.	1	100.00	1	100.00
MEDICARE	10	83.33	2	16.67	12	100.00
MEDICAID	10	90.91	1	9.09	11	100.00
BCBSM	14	63.64	8	36.36	22	100.00
TOTAL	34	73.91	12	26.09	46	100.00

SURGICAL ADMISSIONS BY BED SIZE

BED SIZE IS OVER 250

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	1.68	90	75.63	27	22.69	119	100.00
FEMALE	2	1.50	110	82.71	21	15.79	133	100.00
TOTAL	4	1.59	200	79.37	48	19.05	252	100.00
AGE								
18-25	.	.	15	68.18	7	31.82	22	100.00
26-40	2	4.55	34	77.27	8	18.18	44	100.00
41-65	2	1.60	96	76.80	27	21.60	125	100.00
66-	.	.	55	90.16	6	9.84	61	100.00
TOTAL	4	1.59	200	79.37	48	19.05	252	100.00
PAYOR								
MISSING	.	.	2	100.00	.	.	2	100.00
MEDICARE	.	.	65	86.67	10	13.33	75	100.00
MEDICAID	.	.	6	66.67	3	33.33	9	100.00
BCBSM	4	2.41	127	76.51	35	21.08	166	100.00
TOTAL	4	1.59	200	79.37	48	19.05	252	100.00

SURGICAL ADMISSIONS BY OCCUPANCY RATES

OCCUPANCY RATE IS LESS 60%

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	3	60.00	2	40.00	5	100.00
TOTAL	3	60.00	2	40.00	5	100.00
AGE						
26-40	2	50.00	2	50.00	4	100.00
41-65	1	100.00	.	.	1	100.00
TOTAL	3	60.00	2	40.00	5	100.00
PAYOR						
MEDICAID	2	100.00	.	.	2	100.00
BCBSM	1	33.33	2	66.67	3	100.00
TOTAL	3	60.00	2	40.00	5	100.00

SURGICAL ADMISSIONS BY OCCUPANCY RATES

OCCUPANCY RATE IS 60% TO 80%

	SURGICAL ADMISSIONS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	8	57.14	6	42.86	14	100.00
FEMALE	19	79.17	5	20.83	24	100.00
TOTAL	27	71.05	11	28.95	38	100.00
AGE						
18-25	3	37.50	5	62.50	8	100.00
26-40	6	85.71	1	14.29	7	100.00
41-65	11	78.57	3	21.43	14	100.00
66-	7	77.78	2	22.22	9	100.00
TOTAL	27	71.05	11	28.95	38	100.00
PAYOR						
MISSING	.	.	1	100.00	1	100.00
MEDICARE	9	81.82	2	18.18	11	100.00
MEDICAID	6	75.00	2	25.00	8	100.00
BCBSM	12	66.67	6	33.33	18	100.00
TOTAL	27	71.05	11	28.95	38	100.00

SURGICAL ADMISSIONS BY OCCUPANCY RATES

OCCUPANCY RATE IS OVER 80%

	SURGICAL ADMISSIONS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	1.57	98	77.17	27	21.26	127	100.00
FEMALE	2	1.50	109	81.95	22	16.54	133	100.00
TOTAL	4	1.54	207	79.62	49	18.85	260	100.00
AGE								
18-25	.	.	18	66.67	9	33.33	27	100.00
26-40	2	4.44	35	77.78	8	17.78	45	100.00
41-65	2	1.57	99	77.95	26	20.47	127	100.00
66-	.	.	55	90.16	6	9.84	61	100.00
TOTAL	4	1.54	207	79.62	49	18.85	260	100.00
PAYOR								
MISSING	.	.	2	100.00	.	.	2	100.00
MEDICARE	.	.	66	86.84	10	13.16	76	100.00
MEDICAID	.	.	10	83.33	2	16.67	12	100.00
BCBSM	4	2.35	129	75.88	37	21.76	170	100.00
TOTAL	4	1.54	207	79.62	49	18.85	260	100.00

SURGICAL DAYS

TOTAL

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	365	73.89	129	26.11	494	100.00
FEMALE	2	0.33	426	69.72	183	29.95	611	100.00
TOTAL	2	0.18	791	71.58	312	28.24	1105	100.00
AGE								
18-25	1	1.15	58	66.67	28	32.18	87	100.00
26-40	.	.	150	74.63	51	25.37	201	100.00
41-65	1	0.18	384	69.69	166	30.13	551	100.00
66-	.	.	199	74.81	67	25.19	266	100.00
TOTAL	2	0.18	791	71.58	312	28.24	1105	100.00
PAYOR								
MISSING	.	.	5	83.33	1	16.67	6	100.00
MEDICARE	.	.	237	72.92	88	27.08	325	100.00
MEDICAID	.	.	56	76.71	17	23.29	73	100.00
BCBSM	2	0.29	493	70.33	206	29.39	701	100.00
TOTAL	2	0.18	791	71.58	312	28.24	1105	100.00

SURGICAL DAYS

HOSPITAL 1

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	50	79.37	13	20.63	63	100.00
FEMALE	33	82.50	7	17.50	40	100.00
TOTAL	83	80.58	20	19.42	103	100.00
AGE						
18-25	5	71.43	2	28.57	7	100.00
26-40	7	100.00	.	.	7	100.00
41-65	56	78.87	15	21.13	71	100.00
66-	15	83.33	3	16.67	18	100.00
TOTAL	83	80.58	20	19.42	103	100.00
PAYOR						
MEDICARE	20	83.33	4	16.67	24	100.00
MEDICAID	.	.	1	100.00	1	100.00
BCBSM	63	80.77	15	19.23	78	100.00
TOTAL	83	80.58	20	19.42	103	100.00

SURGICAL DAYS

HOSPITAL 2

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	27	93.10	2	6.90	29	100.00
FEMALE	21	65.63	11	34.38	32	100.00
TOTAL	48	78.69	13	21.31	61	100.00
AGE						
18-25	12	85.71	2	14.29	14	100.00
26-40	9	81.82	2	18.18	11	100.00
41-65	22	75.86	7	24.14	29	100.00
66-	5	71.43	2	28.57	7	100.00
TOTAL	48	78.69	13	21.31	61	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
MEDICAID	3	50.00	3	50.00	6	100.00
BCBSM	44	81.48	10	18.52	54	100.00
TOTAL	48	78.69	13	21.31	61	100.00

SURGICAL DAYS

HOSPITAL 3

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	13	68.42	6	31.58	19	100.00
TOTAL	13	68.42	6	31.58	19	100.00
AGE						
26-40	10	62.50	6	37.50	16	100.00
41-65	3	100.00	.	.	3	100.00
TOTAL	13	68.42	6	31.58	19	100.00
PAYOR						
MEDICAID	10	83.33	2	16.67	12	100.00
BCBSM	3	42.86	4	57.14	7	100.00
TOTAL	13	68.42	6	31.58	19	100.00

SURGICAL DAYS

HOSPITAL 4

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	33	76.74	10	23.26	43	100.00
FEMALE	33	94.29	2	5.71	35	100.00
TOTAL	66	84.62	12	15.38	78	100.00
AGE						
18-25	9	100.00	.	.	9	100.00
26-40	29	82.86	6	17.14	35	100.00
41-65	18	78.26	5	21.74	23	100.00
66-	10	90.91	1	9.09	11	100.00
TOTAL	66	84.62	12	15.38	78	100.00
PAYOR						
MISSING	3	100.00	.	.	3	100.00
MEDICARE	17	94.44	1	5.56	18	100.00
BCBSM	46	80.70	11	19.30	57	100.00
TOTAL	66	84.62	12	15.38	78	100.00

SURGICAL DAYS

HOSPITAL 5

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	12	70.59	5	29.41	17	100.00
FEMALE	19	82.61	4	17.39	23	100.00
TOTAL	31	77.50	9	22.50	40	100.00
AGE						
18-25	2	100.00	.	.	2	100.00
26-40	9	81.82	2	18.18	11	100.00
41-65	14	66.67	7	33.33	21	100.00
66-	6	100.00	.	.	6	100.00
TOTAL	31	77.50	9	22.50	40	100.00
PAYOR						
MEDICARE	6	100.00	.	.	6	100.00
BCBSM	25	73.53	9	26.47	34	100.00
TOTAL	31	77.50	9	22.50	40	100.00

SURGICAL DAYS

HOSPITAL 6

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	52	86.67	8	13.33	60	100.00
FEMALE	40	70.18	17	29.82	57	100.00
TOTAL	92	78.63	25	21.37	117	100.00
AGE						
26-40	7	87.50	1	12.50	8	100.00
41-65	38	84.44	7	15.56	45	100.00
66-	47	73.44	17	26.56	64	100.00
TOTAL	92	78.63	25	21.37	117	100.00
PAYOR						
MEDICARE	52	81.25	12	18.75	64	100.00
BCBSM	40	75.47	13	24.53	53	100.00
TOTAL	92	78.63	25	21.37	117	100.00

SURGICAL DAYS

HOSPITAL 7

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	6	28.57	15	71.43	21	100.00
FEMALE	11	40.74	16	59.26	27	100.00
TOTAL	17	35.42	31	64.58	48	100.00
AGE						
18-25	3	37.50	5	62.50	8	100.00
26-40	.	.	2	100.00	2	100.00
41-65	11	42.31	15	57.69	26	100.00
66-	3	25.00	9	75.00	12	100.00
TOTAL	17	35.42	31	64.58	48	100.00
PAYOR						
MEDICARE	3	25.00	9	75.00	12	100.00
MEDICAID	2	50.00	2	50.00	4	100.00
BCBSM	12	37.50	20	62.50	32	100.00
TOTAL	17	35.42	31	64.58	48	100.00

SURGICAL DAYS

HOSPITAL 8

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	21	95.45	1	4.55	22	100.00
FEMALE	12	48.00	13	52.00	25	100.00
TOTAL	33	70.21	14	29.79	47	100.00
AGE						
26-40	5	55.56	4	44.44	9	100.00
41-65	17	65.38	9	34.62	26	100.00
66-	11	91.67	1	8.33	12	100.00
TOTAL	33	70.21	14	29.79	47	100.00
PAYOR						
MEDICARE	13	92.86	1	7.14	14	100.00
BCBSM	20	60.61	13	39.39	33	100.00
TOTAL	33	70.21	14	29.79	47	100.00

SURGICAL DAYS

HOSPITAL 9

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	19	65.52	10	34.48	29	100.00
FEMALE	12	80.00	3	20.00	15	100.00
TOTAL	31	70.45	13	29.55	44	100.00
AGE						
26-40	6	75.00	2	25.00	8	100.00
41-65	12	63.16	7	36.84	19	100.00
66-	13	76.47	4	23.53	17	100.00
TOTAL	31	70.45	13	29.55	44	100.00
PAYOR						
MEDICARE	13	72.22	5	27.78	18	100.00
BCBSM	18	69.23	8	30.77	26	100.00
TOTAL	31	70.45	13	29.55	44	100.00

SURGICAL DAYS

HOSPITAL 10

	DAYS			
	ACUTE		TOTAL	
	NO.	%	NO.	%
SEX				
MALE	2	100.00	2	100.00
FEMALE	10	100.00	10	100.00
TOTAL	12	100.00	12	100.00
AGE				
18-25	5	100.00	5	100.00
26-40	1	100.00	1	100.00
41-65	6	100.00	6	100.00
TOTAL	12	100.00	12	100.00
PAYOR				
MEDICAID	11	100.00	11	100.00
BCBSM	1	100.00	1	100.00
TOTAL	12	100.00	12	100.00

SURGICAL DAYS

HOSPITAL 11

	DAYS			
	ACUTE		TOTAL	
	NO.	%	NO.	%
SEX				
MALE	3	100.00	3	100.00
FEMALE	1	100.00	1	100.00
TOTAL	4	100.00	4	100.00
AGE				
18-25	4	100.00	4	100.00
TOTAL	4	100.00	4	100.00
PAYOR				
MEDICAID	3	100.00	3	100.00
BCBSM	1	100.00	1	100.00
TOTAL	4	100.00	4	100.00

SURGICAL DAYS

HOSPITAL 12

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	.	.	7	100.00	7	100.00
FEMALE	22	81.48	5	18.52	27	100.00
TOTAL	22	64.71	12	35.29	34	100.00
AGE						
18-25	.	.	5	100.00	5	100.00
26-40	9	90.00	1	10.00	10	100.00
41-65	13	68.42	6	31.58	19	100.00
TOTAL	22	64.71	12	35.29	34	100.00
PAYOR						
MEDICARE	2	33.33	4	66.67	6	100.00
MEDICAID	6	100.00	.	.	6	100.00
BCBSM	14	63.64	8	36.36	22	100.00
TOTAL	22	64.71	12	35.29	34	100.00

SURGICAL DAYS

HOSPITAL 13

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	9	75.00	3	25.00	12	100.00
FEMALE	24	70.59	10	29.41	34	100.00
TOTAL	33	71.74	13	28.26	46	100.00
AGE						
18-25	.	.	1	100.00	1	100.00
26-40	5	83.33	1	16.67	6	100.00
41-65	15	75.00	5	25.00	20	100.00
66-	13	68.42	6	31.58	19	100.00
TOTAL	33	71.74	13	28.26	46	100.00
PAYOR						
MEDICARE	17	68.00	8	32.00	25	100.00
BCBSM	16	76.19	5	23.81	21	100.00
TOTAL	33	71.74	13	28.26	46	100.00

SURGICAL DAYS

HOSPITAL 14

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	5	83.33	1	16.67	6	100.00
TOTAL	5	83.33	1	16.67	6	100.00
AGE						
41-65	4	80.00	1	20.00	5	100.00
66-	1	100.00	.	.	1	100.00
TOTAL	5	83.33	1	16.67	6	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
MEDICAID	2	100.00	.	.	2	100.00
BCBSM	2	66.67	1	33.33	3	100.00
TOTAL	5	83.33	1	16.67	6	100.00

SURGICAL DAYS

HOSPITAL 15

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	38	55.88	30	44.12	68	100.00
FEMALE	1	1.39	49	68.06	22	30.56	72	100.00
TOTAL	1	0.71	87	62.14	52	37.14	140	100.00
AGE								
18-25	.	.	7	53.85	6	46.15	13	100.00
26-40	.	.	18	75.00	6	25.00	24	100.00
41-65	1	1.45	41	59.42	27	39.13	69	100.00
66-	.	.	21	61.76	13	38.24	34	100.00
TOTAL	1	0.71	87	62.14	52	37.14	140	100.00
PAYOR								
MISSING	.	.	2	100.00	.	.	2	100.00
MEDICARE	.	.	24	55.81	19	44.19	43	100.00
MEDICAID	.	.	6	100.00	.	.	6	100.00
BCBSM	1	1.12	55	61.80	33	37.08	89	100.00
TOTAL	1	0.71	87	62.14	52	37.14	140	100.00

SURGICAL DAYS

HOSPITAL 16

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	4	80.00	1	20.00	5	100.00
TOTAL	4	80.00	1	20.00	5	100.00
AGE						
26-40	3	75.00	1	25.00	4	100.00
66-	1	100.00	.	.	1	100.00
TOTAL	4	80.00	1	20.00	5	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
BCBSM	3	75.00	1	25.00	4	100.00
TOTAL	4	80.00	1	20.00	5	100.00

SURGICAL DAYS

HOSPITAL 17

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	9	69.23	4	30.77	13	100.00
FEMALE	1	5.00	9	45.00	10	50.00	20	100.00
TOTAL	1	3.03	18	54.55	14	42.42	33	100.00
AGE								
18-25	1	25.00	2	50.00	1	25.00	4	100.00
26-40	.	.	7	70.00	3	30.00	10	100.00
41-65	.	.	7	58.33	5	41.67	12	100.00
66-	.	.	2	28.57	5	71.43	7	100.00
TOTAL	1	3.03	18	54.55	14	42.42	33	100.00
PAYOR								
MISSING	.	.	.	.	1	100.00	1	100.00
MEDICARE	.	.	3	30.00	7	70.00	10	100.00
MEDICAID	.	.	2	100.00	.	.	2	100.00
BCBSM	1	5.00	13	65.00	6	30.00	20	100.00
TOTAL	1	3.03	18	54.55	14	42.42	33	100.00

SURGICAL DAYS

HOSPITAL 18

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	29	80.56	7	19.44	36	100.00
FEMALE	59	66.29	30	33.71	89	100.00
TOTAL	88	70.40	37	29.60	125	100.00
AGE						
26-40	9	50.00	9	50.00	18	100.00
41-65	46	65.71	24	34.29	70	100.00
66-	33	89.19	4	10.81	37	100.00
TOTAL	88	70.40	37	29.60	125	100.00
PAYOR						
MEDICARE	33	80.49	8	19.51	41	100.00
BCBSM	55	65.48	29	34.52	84	100.00
TOTAL	88	70.40	37	29.60	125	100.00

SURGICAL DAYS

HOSPITAL 19

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	19	82.61	4	17.39	23	100.00
FEMALE	13	65.00	7	35.00	20	100.00
TOTAL	32	74.42	11	25.58	43	100.00
AGE						
18-25	2	100.00	.	.	2	100.00
26-40	4	50.00	4	50.00	8	100.00
41-65	16	72.73	6	27.27	22	100.00
66-	10	90.91	1	9.09	11	100.00
TOTAL	32	74.42	11	25.58	43	100.00
PAYOR						
MEDICARE	16	80.00	4	20.00	20	100.00
MEDICAID	9	64.29	5	35.71	14	100.00
BCBSM	7	77.78	2	22.22	9	100.00
TOTAL	32	74.42	11	25.58	43	100.00

SURGICAL DAYS

HOSPITAL 20

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	31	75.61	10	24.39	41	100.00
FEMALE	23	60.53	15	39.47	38	100.00
TOTAL	54	68.35	25	31.65	79	100.00
AGE						
18-25	7	53.85	6	46.15	13	100.00
26-40	6	85.71	1	14.29	7	100.00
41-65	35	67.31	17	32.69	52	100.00
66-	6	85.71	1	14.29	7	100.00
TOTAL	54	68.35	25	31.65	79	100.00
PAYOR						
MEDICARE	13	68.42	6	31.58	19	100.00
MEDICAID	2	33.33	4	66.67	6	100.00
BCBSM	39	72.22	15	27.78	54	100.00
TOTAL	54	68.35	25	31.65	79	100.00

SURGICAL DAYS

HOSPITAL 21

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	5	100.00	.	.	5	100.00
FEMALE	13	81.25	3	18.75	16	100.00
TOTAL	18	85.71	3	14.29	21	100.00
AGE						
26-40	6	100.00	.	.	6	100.00
41-65	10	76.92	3	23.08	13	100.00
66-	2	100.00	.	.	2	100.00
TOTAL	18	85.71	3	14.29	21	100.00
PAYOR						
MEDICARE	2	100.00	.	.	2	100.00
BCBSM	16	84.21	3	15.79	19	100.00
TOTAL	18	85.71	3	14.29	21	100.00

SURGICAL DAYS BY TEACHING STATUS

TEACHING STATUS IS TEACHING

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	184	72.73	69	27.27	253	100.00
FEMALE	1	0.31	240	74.77	80	24.92	321	100.00
TOTAL	1	0.17	424	73.87	149	25.96	574	100.00
AGE								
18-25	.	.	38	71.70	15	28.30	53	100.00
26-40	.	.	88	78.57	24	21.43	112	100.00
41-65	1	0.33	212	70.67	87	29.00	300	100.00
66-	.	.	86	78.90	23	21.10	109	100.00
TOTAL	1	0.17	424	73.87	149	25.96	574	100.00
PAYOR								
MISSING	.	.	5	100.00	.	.	5	100.00
MEDICARE	.	.	99	73.33	36	26.67	135	100.00
MEDICAID	.	.	26	86.67	4	13.33	30	100.00
BCBSM	1	0.25	294	72.77	109	26.98	404	100.00
TOTAL	1	0.17	424	73.87	149	25.96	574	100.00

SURGICAL DAYS BY TEACHING STATUS

TEACHING STATUS IS NON TEACHING

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	181	75.10	60	24.90	241	100.00
FEMALE	1	0.34	186	64.14	103	35.52	290	100.00
TOTAL	1	0.19	367	69.11	163	30.70	531	100.00
AGE								
18-25	1	2.94	20	58.82	13	38.24	34	100.00
26-40	.	.	62	69.66	27	30.34	89	100.00
41-65	.	.	172	68.53	79	31.47	251	100.00
66-	.	.	113	71.97	44	28.03	157	100.00
TOTAL	1	0.19	367	69.11	163	30.70	531	100.00
PAYOR								
MISSING	.	.	.	.	1	100.00	1	100.00
MEDICARE	.	.	138	72.63	52	27.37	190	100.00
MEDICAID	.	.	30	69.77	13	30.23	43	100.00
BCBSM	1	0.34	199	67.00	97	32.66	297	100.00
TOTAL	1	0.19	367	69.11	163	30.70	531	100.00

SURGICAL DAYS BY BED SIZE

BED SIZE IS LESS 150

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	13	68.42	6	31.58	19	100.00
TOTAL	13	68.42	6	31.58	19	100.00
AGE						
26-40	10	62.50	6	37.50	16	100.00
41-65	3	100.00	.	.	3	100.00
TOTAL	13	68.42	6	31.58	19	100.00
PAYOR						
MEDICAID	10	83.33	2	16.67	12	100.00
BCBSM	3	42.86	4	57.14	7	100.00
TOTAL	13	68.42	6	31.58	19	100.00

SURGICAL DAYS BY BED SIZE

BED SIZE IS 150 TO 250

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	36	61.02	23	38.98	59	100.00
FEMALE	1	1.22	47	57.32	34	41.46	82	100.00
TOTAL	1	0.71	83	58.87	57	40.43	141	100.00
AGE								
18-25	1	5.26	12	63.16	6	31.58	19	100.00
26-40	.	.	15	60.00	10	40.00	25	100.00
41-65	.	.	40	60.61	26	39.39	66	100.00
66-	.	.	16	51.61	15	48.39	31	100.00
TOTAL	1	0.71	83	58.87	57	40.43	141	100.00
PAYOR								
MISSING	.	.	.	.	1	100.00	1	100.00
MEDICARE	.	.	23	53.49	20	46.51	43	100.00
MEDICAID	.	.	24	77.42	7	22.58	31	100.00
BCBSM	1	1.52	36	54.55	29	43.94	66	100.00
TOTAL	1	0.71	83	58.87	57	40.43	141	100.00

SURGICAL DAYS BY BED SIZE

BED SIZE IS OVER 250

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	329	75.63	106	24.37	435	100.00
FEMALE	1	0.20	366	71.76	143	28.04	510	100.00
TOTAL	1	0.11	695	73.54	249	26.35	945	100.00
AGE								
18-25	.	.	46	67.65	22	32.35	68	100.00
26-40	.	.	125	78.13	35	21.88	160	100.00
41-65	1	0.21	341	70.75	140	29.05	482	100.00
66-	.	.	183	77.87	52	22.13	235	100.00
TOTAL	1	0.11	695	73.54	249	26.35	945	100.00
PAYOR								
MISSING	.	.	5	100.00	.	.	5	100.00
MEDICARE	.	.	214	75.89	68	24.11	282	100.00
MEDICAID	.	.	22	73.33	8	26.67	30	100.00
BCBSM	1	0.16	454	72.29	173	27.55	628	100.00
TOTAL	1	0.11	695	73.54	249	26.35	945	100.00

SURGICAL DAYS BY OCCUPANCY RATE

OCCUPANCY RATE IS LESS 60%

	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	13	68.42	6	31.58	19	100.00
TOTAL	13	68.42	6	31.58	19	100.00
AGE						
26-40	10	62.50	6	37.50	16	100.00
41-65	3	100.00	.	.	3	100.00
TOTAL	13	68.42	6	31.58	19	100.00
PAYOR						
MEDICAID	10	83.33	2	16.67	12	100.00
BCBSM	3	42.86	4	57.14	7	100.00
TOTAL	13	68.42	6	31.58	19	100.00

SURGICAL DAYS BY OCCUPANCY RATE

OCCUPANCY RATE IS 60% TO 80%

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	20	74.07	7	25.93	27	100.00
FEMALE	1	1.33	52	69.33	22	29.33	75	100.00
TOTAL	1	0.98	72	70.59	29	28.43	102	100.00
AGE								
18-25	1	10.00	7	70.00	2	20.00	10	100.00
26-40	.	.	16	76.19	5	23.81	21	100.00
41-65	.	.	32	74.42	11	25.58	43	100.00
66-	.	.	17	60.71	11	39.29	28	100.00
TOTAL	1	0.98	72	70.59	29	28.43	102	100.00
PAYOR								
MISSING	.	.	.	.	1	100.00	1	100.00
MEDICARE	.	.	22	59.46	15	40.54	37	100.00
MEDICAID	.	.	15	100.00	.	.	15	100.00
BCBSM	1	2.04	35	71.43	13	26.53	49	100.00
TOTAL	1	0.98	72	70.59	29	28.43	102	100.00

SURGICAL DAYS BY OCCUPANCY RATE

OCCUPANCY RATE IS OVER 80%

	DAYS							
	MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	.	.	345	73.88	122	26.12	467	100.00
FEMALE	1	0.19	361	69.83	155	29.98	517	100.00
TOTAL	1	0.10	706	71.75	277	28.15	984	100.00
AGE								
18-25	.	.	51	66.23	26	33.77	77	100.00
26-40	.	.	124	75.61	40	24.39	164	100.00
41-65	1	0.20	349	69.11	155	30.69	505	100.00
66-	.	.	182	76.47	56	23.53	238	100.00
TOTAL	1	0.10	706	71.75	277	28.15	984	100.00
PAYOR								
MISSING	.	.	5	100.00	.	.	5	100.00
MEDICARE	.	.	215	74.65	73	25.35	288	100.00
MEDICAID	.	.	31	67.39	15	32.61	46	100.00
BCBSM	1	0.16	455	70.54	189	29.30	645	100.00
TOTAL	1	0.10	706	71.75	277	28.15	984	100.00

DAYS WITHIN SURGICAL AOMISSIONS

TOTAL

	SURGICAL ADMISSIONS																	
	MISSING						ACUTE						NONACUTE					
	DAYS						DAYS						DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX																		
MALE	5	71.43	2	28.57	7	100.00	346	84.60	63	15.40	409	100.00	.	.	14	17.95	64	82.05
FEMALE	.	.	5	100.00	5	100.00	414	76.24	129	23.76	543	100.00	2	3.17	12	19.05	49	77.78
TOTAL	5	41.67	7	58.33	12	100.00	760	79.83	192	20.17	952	100.00	2	1.42	26	18.44	113	80.14
AGE																		
18-25	.	.	.	.	.	.	56	82.35	12	17.65	68	100.00	1	5.26	2	10.53	16	84.21
26-40	1	25.00	3	75.00	4	100.00	147	83.52	29	16.48	176	100.00	.	.	2	9.52	19	90.48
41-65	4	50.00	4	50.00	8	100.00	366	77.22	108	22.78	474	100.00	1	1.45	14	20.29	54	78.26
66-	.	.	.	.	.	.	191	81.62	43	18.38	234	100.00	.	.	8	25.00	24	75.00
TOTAL	5	41.67	7	58.33	12	100.00	760	79.83	192	20.17	952	100.00	2	1.42	26	18.44	113	80.14
PAYOR																		
MISSING	.	.	.	.	.	.	5	100.00	.	.	5	100.00	.	.	.	.	1	100.00
MEDICARE	.	.	.	.	.	.	229	80.07	57	19.93	286	100.00	.	.	8	20.51	31	79.49
MEDICAIO	.	.	.	.	.	.	56	78.87	15	21.13	71	100.00	.	.	.	.	2	100.00
BCBSM	5	41.67	7	58.33	12	100.00	470	79.66	120	20.34	590	100.00	2	2.02	18	18.18	79	79.80
TOTAL	5	41.67	7	58.33	12	100.00	760	79.83	192	20.17	952	100.00	2	1.42	26	18.44	113	80.14

(CONTINUED)

DAYS WITHIN SURGICAL ADMISSIONS

TOTAL

	SURGICAL ADMISSIONS	
	NONACUTE	
	TOTAL	
	NO.	%
SEX		
MALE	78	100.00
FEMALE	63	100.00
TOTAL	141	100.00
AGE		
18-25	19	100.00
26-40	21	100.00
41-65	69	100.00
66-	32	100.00
TOTAL	141	100.00
PAYOR		
MISSING	1	100.00
MEDICARE	39	100.00
MEDICAID	2	100.00
BCBSM	99	100.00
TOTAL	141	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 1

	SURGICAL ADMISSIONS																	
	MISSING						ACUTE						NONACUTE					
	DAYS						DAYS						DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																		
MALE	5	71.43	2	28.57	7	100.00	45	81.82	10	18.18	55	100.00	1	100.00	1	100.00		
FEMALE	.	.	.	.	.	.	33	94.29	2	5.71	35	100.00	5	100.00	5	100.00		
TOTAL	5	71.43	2	28.57	7	100.00	78	86.67	12	13.33	90	100.00	6	100.00	6	100.00		
AGE																		
18-25	.	.	.	.	.	.	5	71.43	2	28.57	7	100.00	.	.	.	.		
26-40	1	100.00	.	.	1	100.00	6	100.00	.	.	6	100.00	.	.	.	.		
41-65	4	66.67	2	33.33	6	100.00	52	88.14	7	11.86	59	100.00	6	100.00	6	100.00		
66-	.	.	.	.	.	.	15	83.33	3	16.67	18	100.00	.	.	.	.		
TOTAL	5	71.43	2	28.57	7	100.00	78	86.67	12	13.33	90	100.00	6	100.00	6	100.00		
PAYOR																		
MEDICARE	.	.	.	.	.	.	20	83.33	4	16.67	24	100.00	.	.	.	.		
MEDICAID	.	.	.	.	.	.	.	.	.	.	.	.	1	100.00	1	100.00		
BCBSM	5	71.43	2	28.57	7	100.00	58	87.88	8	12.12	66	100.00	5	100.00	5	100.00		
TOTAL	5	71.43	2	28.57	7	100.00	78	86.67	12	13.33	90	100.00	6	100.00	6	100.00		

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 2

	SURGICAL ADMISSIONS													
	MISSING				ACUTE						NONACUTE			
	DAYS NONACUTE		TOTAL		DAYS ACUTE		DAYS NONACUTE		TOTAL		DAYS NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	.	.	.	.	27	96.43	1	3.57	28	100.00	1	100.00	1	100.00
FEMALE	2	100.00	2	100.00	21	70.00	9	30.00	30	100.00	.	.	.	.
TOTAL	2	100.00	2	100.00	48	82.76	10	17.24	58	100.00	1	100.00	1	100.00
AGE														
18-25	.	.	.	.	12	92.31	1	7.69	13	100.00	1	100.00	1	100.00
26-40	.	.	.	.	9	81.82	2	18.18	11	100.00	.	.	.	.
41-65	2	100.00	2	100.00	22	81.48	5	18.52	27	100.00	.	.	.	.
66-	.	.	.	.	5	71.43	2	28.57	7	100.00	.	.	.	.
TOTAL	2	100.00	2	100.00	48	82.76	10	17.24	58	100.00	1	100.00	1	100.00
PAYOR														
MEDICARE	.	.	.	.	1	100.00	.	.	1	100.00	.	.	.	.
MEDICAID	.	.	.	.	3	60.00	2	40.00	5	100.00	1	100.00	1	100.00
BCBSM	2	100.00	2	100.00	44	84.62	8	15.38	52	100.00	.	.	.	.
TOTAL	2	100.00	2	100.00	48	82.76	10	17.24	58	100.00	1	100.00	1	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 3

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
FEMALE	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
AGE										
26-40	10	83.33	2	16.67	12	100.00	4	100.00	4	100.00
41-65	3	100.00	.	.	3	100.00	.	.	.	.
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
PAYOR										
MEDICAID	10	83.33	2	16.67	12	100.00	.	.	.	.
BCBSM	3	100.00	.	.	3	100.00	4	100.00	4	100.00
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 4

	SURGICAL ADMISSIONS											
	ACUTE						NONACUTE					
	DAYS						DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	31	91.18	3	8.82	34	100.00	2	22.22	7	77.78	9	100.00
FEMALE	27	93.10	2	6.90	29	100.00	6	100.00	.	.	6	100.00
TOTAL	58	92.06	5	7.94	63	100.00	8	53.33	7	46.67	15	100.00
AGE												
18-25	9	100.00	.	.	9	100.00	.	.	.	.	.	.
26-40	29	90.63	3	9.38	32	100.00	.	.	3	100.00	3	100.00
41-65	10	90.91	1	9.09	11	100.00	8	66.67	4	33.33	12	100.00
66-	10	90.91	1	9.09	11	100.00	.	.	.	.	.	.
TOTAL	58	92.06	5	7.94	63	100.00	8	53.33	7	46.67	15	100.00
PAYOR												
MISSING	3	100.00	.	.	3	100.00	.	.	.	.	.	.
MEDICARE	17	94.44	1	5.56	18	100.00	.	.	.	.	.	.
BCBSM	38	90.48	4	9.52	42	100.00	8	53.33	7	46.67	15	100.00
TOTAL	58	92.06	5	7.94	63	100.00	8	53.33	7	46.67	15	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 5

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
MALE	12	100.00	.	.	12	100.00	5	100.00	5	100.00
FEMALE	19	82.61	4	17.39	23	100.00	.	.	.	.
TOTAL	31	88.57	4	11.43	35	100.00	5	100.00	5	100.00
AGE										
18-25	2	100.00	.	.	2	100.00	.	.	.	.
26-40	9	81.82	2	18.18	11	100.00	.	.	.	.
41-65	14	87.50	2	12.50	16	100.00	5	100.00	5	100.00
66-	6	100.00	.	.	6	100.00	.	.	.	.
TOTAL	31	88.57	4	11.43	35	100.00	5	100.00	5	100.00
PAYOR										
MEDICARE	6	100.00	.	.	6	100.00	.	.	.	.
BCBSM	25	86.21	4	13.79	29	100.00	5	100.00	5	100.00
TOTAL	31	88.57	4	11.43	35	100.00	5	100.00	5	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 6

	SURGICAL ADMISSIONS											
	ACUTE						NONACUTE					
	DAYS						DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	52	86.67	8	13.33	60	100.00	.	.	.	.	.	.
FEMALE	38	73.08	14	26.92	52	100.00	2	40.00	3	60.00	5	100.00
TOTAL	90	80.36	22	19.64	112	100.00	2	40.00	3	60.00	5	100.00
AGE												
26-40	7	87.50	1	12.50	8	100.00	.	.	.	.	.	.
41-65	36	90.00	4	10.00	40	100.00	2	40.00	3	60.00	5	100.00
66-	47	73.44	17	26.56	64	100.00	.	.	.	.	.	.
TOTAL	90	80.36	22	19.64	112	100.00	2	40.00	3	60.00	5	100.00
PAYOR												
MEDICARE	52	81.25	12	18.75	64	100.00	.	.	.	.	.	.
BCBSM	38	79.17	10	20.83	48	100.00	2	40.00	3	60.00	5	100.00
TOTAL	90	80.36	22	19.64	112	100.00	2	40.00	3	60.00	5	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 7

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
MALE	6	54.55	5	45.45	11	100.00	10	100.00	10	100.00
FEMALE	11	47.83	12	52.17	23	100.00	4	100.00	4	100.00
TOTAL	17	50.00	17	50.00	34	100.00	14	100.00	14	100.00
AGE										
18-25	3	60.00	2	40.00	5	100.00	3	100.00	3	100.00
26-40	.	.	.	.	.	.	2	100.00	2	100.00
41-65	11	47.83	12	52.17	23	100.00	3	100.00	3	100.00
66-	3	50.00	3	50.00	6	100.00	6	100.00	6	100.00
TOTAL	17	50.00	17	50.00	34	100.00	14	100.00	14	100.00
PAYOR										
MEDICARE	3	50.00	3	50.00	6	100.00	6	100.00	6	100.00
MEDICAID	2	50.00	2	50.00	4	100.00	.	.	.	.
BCBSM	12	50.00	12	50.00	24	100.00	8	100.00	8	100.00
TOTAL	17	50.00	17	50.00	34	100.00	14	100.00	14	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 8

	SURGICAL ADMISSIONS													
	MISSING				ACUTE						NONACUTE			
	DAYS NONACUTE		TOTAL		DAYS ACUTE		DAYS NONACUTE		TOTAL		DAYS NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	.	.	.	.	21	95.45	1	4.55	22	100.00	.	.	.	.
FEMALE	3	100.00	3	100.00	12	75.00	4	25.00	16	100.00	6	100.00	6	100.00
TOTAL	3	100.00	3	100.00	33	86.84	5	13.16	38	100.00	6	100.00	6	100.00
AGE														
26-40	3	100.00	3	100.00	5	83.33	1	16.67	6	100.00	.	.	.	.
41-65	.	.	.	.	17	85.00	3	15.00	20	100.00	6	100.00	6	100.00
66-	.	.	.	.	11	91.67	1	8.33	12	100.00	.	.	.	.
TOTAL	3	100.00	3	100.00	33	86.84	5	13.16	38	100.00	6	100.00	6	100.00
PAYOR														
MEDICARE	.	.	.	.	13	92.86	1	7.14	14	100.00	.	.	.	.
BCBSM	3	100.00	3	100.00	20	83.33	4	16.67	24	100.00	6	100.00	6	100.00
TOTAL	3	100.00	3	100.00	33	86.84	5	13.16	38	100.00	6	100.00	6	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 9

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
MALE	19	70.37	8	29.63	27	100.00	2	100.00	2	100.00
FEMALE	12	85.71	2	14.29	14	100.00	1	100.00	1	100.00
TOTAL	31	75.61	10	24.39	41	100.00	3	100.00	3	100.00
AGE										
26-40	6	75.00	2	25.00	8	100.00	.	.	.	.
41-65	12	66.67	6	33.33	18	100.00	1	100.00	1	100.00
66-	13	86.67	2	13.33	15	100.00	2	100.00	2	100.00
TOTAL	31	75.61	10	24.39	41	100.00	3	100.00	3	100.00
PAYOR										
MEDICARE	13	86.67	2	13.33	15	100.00	3	100.00	3	100.00
BCBSM	18	69.23	8	30.77	26	100.00	.	.	.	.
TOTAL	31	75.61	10	24.39	41	100.00	3	100.00	3	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 10

	SURGICAL ADMISSIONS							
	ACUTE				NONACUTE			
	DAYS ACUTE		TOTAL		DAYS ACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%
SEX								
MALE	2	100.00	2	100.00	.	.	.	.
FEMALE	9	100.00	9	100.00	1	100.00	1	100.00
TOTAL	11	100.00	11	100.00	1	100.00	1	100.00
AGE								
18-25	4	100.00	4	100.00	1	100.00	1	100.00
26-40	1	100.00	1	100.00	.	.	.	.
41-65	6	100.00	6	100.00	.	.	.	.
TOTAL	11	100.00	11	100.00	1	100.00	1	100.00
PAYOR								
MEDICAID	11	100.00	11	100.00	.	.	.	.
BCBSM	.	.	.	.	1	100.00	1	100.00
TOTAL	11	100.00	11	100.00	1	100.00	1	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 11

	SURGICAL ADMISSIONS			
	ACUTE			
	DAYS			
	ACUTE		TOTAL	
	NO.	%	NO.	%
SEX				
MALE	3	100.00	3	100.00
FEMALE	1	100.00	1	100.00
TOTAL	4	100.00	4	100.00
AGE				
18-25	4	100.00	4	100.00
TOTAL	4	100.00	4	100.00
PAYOR				
MEDICAID	3	100.00	3	100.00
BCBSM	1	100.00	1	100.00
TOTAL	4	100.00	4	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 12

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
MALE	.	.	.	.	.	.	7	100.00	7	100.00
FEMALE	22	84.62	4	15.38	26	100.00	1	100.00	1	100.00
TOTAL	22	84.62	4	15.38	26	100.00	8	100.00	8	100.00
AGE										
18-25	.	.	.	.	.	.	5	100.00	5	100.00
26-40	9	100.00	.	.	9	100.00	1	100.00	1	100.00
41-65	13	76.47	4	23.53	17	100.00	2	100.00	2	100.00
TOTAL	22	84.62	4	15.38	26	100.00	8	100.00	8	100.00
PAYOR										
MEDICARE	2	33.33	4	66.67	6	100.00	.	.	.	.
MEDICAID	6	100.00	.	.	6	100.00	.	.	.	.
BCBSM	14	100.00	.	.	14	100.00	8	100.00	8	100.00
TOTAL	22	84.62	4	15.38	26	100.00	8	100.00	8	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 13

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
MALE	9	90.00	1	10.00	10	100.00	2	100.00	2	100.00
FEMALE	24	72.73	9	27.27	33	100.00	1	100.00	1	100.00
TOTAL	33	76.74	10	23.26	43	100.00	3	100.00	3	100.00
AGE										
18-25	.	.	.	.	.	.	1	100.00	1	100.00
26-40	5	83.33	1	16.67	6	100.00	.	.	.	.
41-65	15	75.00	5	25.00	20	100.00	.	.	.	.
66-	13	76.47	4	23.53	17	100.00	2	100.00	2	100.00
TOTAL	33	76.74	10	23.26	43	100.00	3	100.00	3	100.00
PAYOR										
MEDICARE	17	73.91	6	26.09	23	100.00	2	100.00	2	100.00
BCBSM	16	80.00	4	20.00	20	100.00	1	100.00	1	100.00
TOTAL	33	76.74	10	23.26	43	100.00	3	100.00	3	100.00

OAYS WITHIN SURGICAL AOMISSIONS

HOSPITAL 14

	SURGICAL ADMISSIONS					
	ACUTE					
	OAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	5	83.33	1	16.67	6	100.00
TOTAL	5	83.33	1	16.67	6	100.00
AGE						
41-65	4	80.00	1	20.00	5	100.00
66-	1	100.00	.	.	1	100.00
TOTAL	5	83.33	1	16.67	6	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
MEDICAIO	2	100.00	.	.	2	100.00
BCBSM	2	66.67	1	33.33	3	100.00
TOTAL	5	83.33	1	16.67	6	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 15

	SURGICAL ADMISSIONS													
	ACUTE						NONACUTE							
	DAYS						DAYS							
	ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	30	76.92	9	23.08	39	100.00	.	.	8	27.59	21	72.41	29	100.00
FEMALE	46	73.02	17	26.98	63	100.00	1	11.11	3	33.33	5	55.56	9	100.00
TOTAL	76	74.51	26	25.49	102	100.00	1	2.63	11	28.95	26	68.42	38	100.00
AGE														
18-25	6	75.00	2	25.00	8	100.00	.	.	1	20.00	4	80.00	5	100.00
26-40	16	84.21	3	15.79	19	100.00	.	.	2	40.00	3	60.00	5	100.00
41-65	37	68.52	17	31.48	54	100.00	1	6.67	4	26.67	10	66.67	15	100.00
66-	17	80.95	4	19.05	21	100.00	.	.	4	30.77	9	69.23	13	100.00
TOTAL	76	74.51	26	25.49	102	100.00	1	2.63	11	28.95	26	68.42	38	100.00
PAYOR														
MISSING	2	100.00	.	.	2	100.00	.	.	.	.	.	.	.	.
MEDICARE	20	71.43	8	28.57	28	100.00	.	.	4	26.67	11	73.33	15	100.00
MEDICAID	6	100.00	.	.	6	100.00	.	.	.	.	.	.	.	.
BCBSM	48	72.73	18	27.27	66	100.00	1	4.35	7	30.43	15	65.22	23	100.00
TOTAL	76	74.51	26	25.49	102	100.00	1	2.63	11	28.95	26	68.42	38	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 16

	SURGICAL ADMISSIONS					
	ACUTE					
	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
FEMALE	4	80.00	1	20.00	5	100.00
TOTAL	4	80.00	1	20.00	5	100.00
AGE						
26-40	3	75.00	1	25.00	4	100.00
66-	1	100.00	.	.	1	100.00
TOTAL	4	80.00	1	20.00	5	100.00
PAYOR						
MEDICARE	1	100.00	.	.	1	100.00
BCBSM	3	75.00	1	25.00	4	100.00
TOTAL	4	80.00	1	20.00	5	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 17

	SURGICAL ADMISSIONS											
	ACUTE						NONACUTE					
	DAYS						DAYS					
	ACUTE		NONACUTE		TOTAL		MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	9	90.00	1	10.00	10	100.00	.	.	3	100.00	3	100.00
FEMALE	9	50.00	9	50.00	18	100.00	1	50.00	1	50.00	2	100.00
TOTAL	18	64.29	10	35.71	28	100.00	1	20.00	4	80.00	5	100.00
AGE												
18-25	2	100.00	.	.	2	100.00	1	50.00	1	50.00	2	100.00
26-40	7	70.00	3	30.00	10	100.00	.	.	.	.	.	.
41-65	7	58.33	5	41.67	12	100.00	.	.	.	.	.	.
66-	2	50.00	2	50.00	4	100.00	.	.	3	100.00	3	100.00
TOTAL	18	64.29	10	35.71	28	100.00	1	20.00	4	80.00	5	100.00
PAYOR												
MISSING	.	.	.	.	.	.	.	.	1	100.00	1	100.00
MEDICARE	3	42.86	4	57.14	7	100.00	.	.	3	100.00	3	100.00
MEDICAID	2	100.00	.	.	2	100.00	.	.	.	.	.	.
BCBSM	13	68.42	6	31.58	19	100.00	1	100.00	.	.	1	100.00
TOTAL	18	64.29	10	35.71	28	100.00	1	20.00	4	80.00	5	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 18

	SURGICAL ADMISSIONS											
	ACUTE						NONACUTE					
	DAYS						DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX												
MALE	25	89.29	3	10.71	28	100.00	4	50.00	4	50.00	8	100.00
FEMALE	59	83.10	12	16.90	71	100.00	.	.	18	100.00	18	100.00
TOTAL	84	84.85	15	15.15	99	100.00	4	15.38	22	84.62	26	100.00
AGE												
26-40	9	75.00	3	25.00	12	100.00	.	.	6	100.00	6	100.00
41-65	46	82.14	10	17.86	56	100.00	.	.	14	100.00	14	100.00
66-	29	93.55	2	6.45	31	100.00	4	66.67	2	33.33	6	100.00
TOTAL	84	84.85	15	15.15	99	100.00	4	15.38	22	84.62	26	100.00
PAYOR												
MEDICARE	29	93.55	2	6.45	31	100.00	4	40.00	6	60.00	10	100.00
BCBSM	55	80.88	13	19.12	68	100.00	.	.	16	100.00	16	100.00
TOTAL	84	84.85	15	15.15	99	100.00	4	15.38	22	84.62	26	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 19

	SURGICAL ADMISSIONS					
	ACUTE					
	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	19	82.61	4	17.39	23	100.00
FEMALE	13	65.00	7	35.00	20	100.00
TOTAL	32	74.42	11	25.58	43	100.00
AGE						
18-25	2	100.00	.	.	2	100.00
26-40	4	50.00	4	50.00	8	100.00
41-65	16	72.73	6	27.27	22	100.00
66-	10	90.91	1	9.09	11	100.00
TOTAL	32	74.42	11	25.58	43	100.00
PAYOR						
MEDICARE	16	80.00	4	20.00	20	100.00
MEDICAID	9	64.29	5	35.71	14	100.00
BCBSM	7	77.78	2	22.22	9	100.00
TOTAL	32	74.42	11	25.58	43	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 20

	. SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
MALE	31	77.50	9	22.50	40	100.00	1	100.00	1	100.00
FEMALE	23	60.53	15	39.47	38	100.00	.	.	.	.
TOTAL	54	69.23	24	30.77	78	100.00	1	100.00	1	100.00
AGE										
18-25	7	58.33	5	41.67	12	100.00	1	100.00	1	100.00
26-40	6	85.71	1	14.29	7	100.00	.	.	.	.
41-65	35	67.31	17	32.69	52	100.00	.	.	.	.
66-	6	85.71	1	14.29	7	100.00	.	.	.	.
TOTAL	54	69.23	24	30.77	78	100.00	1	100.00	1	100.00
PAYOR										
MEDICARE	13	68.42	6	31.58	19	100.00	.	.	.	.
MEDICAID	2	33.33	4	66.67	6	100.00	.	.	.	.
BCBSM	39	73.58	14	26.42	53	100.00	1	100.00	1	100.00
TOTAL	54	69.23	24	30.77	78	100.00	1	100.00	1	100.00

DAYS WITHIN SURGICAL ADMISSIONS

HOSPITAL 21

	SURGICAL ADMISSIONS					
	ACUTE					
	DAYS					
	ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
SEX						
MALE	5	100.00	.	.	5	100.00
FEMALE	13	81.25	3	18.75	16	100.00
TOTAL	18	85.71	3	14.29	21	100.00
AGE						
26-40	6	100.00	.	.	6	100.00
41-65	10	76.92	3	23.08	13	100.00
66-	2	100.00	.	.	2	100.00
TOTAL	18	85.71	3	14.29	21	100.00
PAYOR						
MEDICARE	2	100.00	.	.	2	100.00
BCBSM	16	84.21	3	15.79	19	100.00
TOTAL	18	85.71	3	14.29	21	100.00

DAYS WITHIN SURGICAL ADMISSIONS BY TEACHING STATUS

TEACHING STATUS IS TEACHING

	SURGICAL ADMISSIONS																			
	MISSING						ACUTE						NONACUTE							
	DAYS						DAYS						DAYS							
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																				
MALE	5	71.43	2	28.57	7	100.00	165	86.39	26	13.61	191	100.00	.	.	14	25.45	41	74.55		
FEMALE	.	.	2	100.00	2	100.00	230	82.44	49	17.56	279	100.00	1	2.50	10	25.00	29	72.50		
TOTAL	5	55.56	4	44.44	9	100.00	395	84.04	75	15.96	470	100.00	1	1.05	24	25.26	70	73.68		
AGE																				
18-25	.	.	.	.	.	.	36	87.80	5	12.20	41	100.00	.	.	2	16.67	10	83.33		
26-40	1	100.00	.	.	1	100.00	85	88.54	11	11.46	96	100.00	.	.	2	13.33	13	86.67		
41-65	4	50.00	4	50.00	8	100.00	196	80.66	47	19.34	243	100.00	1	2.04	12	24.49	36	73.47		
66-	.	.	.	.	.	.	78	86.67	12	13.33	90	100.00	.	.	8	42.11	11	57.89		
TOTAL	5	55.56	4	44.44	9	100.00	395	84.04	75	15.96	470	100.00	1	1.05	24	25.26	70	73.68		
PAYOR																				
MISSING	.	.	.	.	.	.	5	100.00	.	.	5	100.00	.	.	.	.	.	.		
MEDICARE	.	.	.	.	.	.	91	82.73	19	17.27	110	100.00	.	.	8	32.00	17	68.00		
MEDICAID	.	.	.	.	.	.	26	92.86	2	7.14	28	100.00	.	.	.	.	2	100.00		
BCBSM	5	55.56	4	44.44	9	100.00	273	83.49	54	16.51	327	100.00	1	1.47	16	23.53	51	75.00		
TOTAL	5	55.56	4	44.44	9	100.00	395	84.04	75	15.96	470	100.00	1	1.05	24	25.26	70	73.68		

(CONTINUED)

DAYS WITHIN SURGICAL ADMISSIONS BY TEACHING STATUS

TEACHING STATUS IS
TEACHING

	SURGICAL ADMISSIONS	
	NONACUTE	
	TOTAL	
	NO.	%
SEX		
MALE	55	100.00
FEMALE	40	100.00
TOTAL	95	100.00
AGE		
18-25	12	100.00
26-40	15	100.00
41-65	49	100.00
66-	19	100.00
TOTAL	95	100.00
PAYOR		
MISSING	.	.
MEDICARE	25	100.00
MEDICAID	2	100.00
BCBSM	68	100.00
TOTAL	95	100.00

DAYS WITHIN SURGICAL ADMISSIONS BY TEACHING STATUS

TEACHING STATUS IS NON TEACHING

	SURGICAL ADMISSIONS																			
	MISSING				ACUTE						NONACUTE									
	DAYS				DAYS						DAYS									
	NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																				
MALE	.	.	.	.	181	83.03	37	16.97	218	100.00	.	.	.	.	23	100.00	23	100.00		
FEMALE	3	100.00	3	100.00	184	69.70	80	30.30	264	100.00	1	4.35	2	8.70	20	86.96	23	100.00		
TOTAL	3	100.00	3	100.00	365	75.73	117	24.27	482	100.00	1	2.17	2	4.35	43	93.48	46	100.00		
AGE																				
18-25	.	.	.	.	20	74.07	7	25.93	27	100.00	1	14.29	.	.	6	85.71	7	100.00		
26-40	3	100.00	3	100.00	62	77.50	18	22.50	80	100.00	.	.	.	.	6	100.00	6	100.00		
41-65	.	.	.	.	170	73.59	61	26.41	231	100.00	.	.	2	10.00	18	90.00	20	100.00		
66-	.	.	.	.	113	78.47	31	21.53	144	100.00	.	.	.	.	13	100.00	13	100.00		
TOTAL	3	100.00	3	100.00	365	75.73	117	24.27	482	100.00	1	2.17	2	4.35	43	93.48	46	100.00		
PAYOR																				
MISSING	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	100.00	1	100.00		
MEDICARE	.	.	.	.	138	78.41	38	21.59	176	100.00	.	.	.	.	14	100.00	14	100.00		
MEDICAID	.	.	.	.	30	69.77	13	30.23	43	100.00	.	.	.	.	.	.	.	.		
BCBSM	3	100.00	3	100.00	197	74.90	66	25.10	263	100.00	1	3.23	2	6.45	28	90.32	31	100.00		
TOTAL	3	100.00	3	100.00	365	75.73	117	24.27	482	100.00	1	2.17	2	4.35	43	93.48	46	100.00		

DAYS WITHIN SURGICAL ADMISSIONS BY BED SIZE

BED SIZE IS LESS 150

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
FEMALE	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
AGE										
26-40	10	83.33	2	16.67	12	100.00	4	100.00	4	100.00
41-65	3	100.00	.	.	3	100.00	.	.	.	.
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
PAYOR										
MEDICAID	10	83.33	2	16.67	12	100.00	.	.	.	.
BCBSM	3	100.00	.	.	3	100.00	4	100.00	4	100.00
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00

DAYS WITHIN SURGICAL ADMISSIONS BY BED SIZE

BED SIZE IS 150 TO 250

	SURGICAL ADMISSIONS													
	ACUTE						NONACUTE							
	DAYS						DAYS							
	ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	36	78.26	10	21.74	46	100.00	.	.	.	.	13	100.00	13	100.00
FEMALE	46	61.33	29	38.67	75	100.00	1	14.29	1	14.29	5	71.43	7	100.00
TOTAL	82	67.77	39	32.23	121	100.00	1	5.00	1	5.00	18	90.00	20	100.00
AGE														
18-25	11	84.62	2	15.38	13	100.00	1	16.67	1	16.67	4	66.67	6	100.00
26-40	15	65.22	8	34.78	23	100.00	.	.	.	.	2	100.00	2	100.00
41-65	40	63.49	23	36.51	63	100.00	.	.	.	.	3	100.00	3	100.00
66-	16	72.73	6	27.27	22	100.00	.	.	.	.	9	100.00	9	100.00
TOTAL	82	67.77	39	32.23	121	100.00	1	5.00	1	5.00	18	90.00	20	100.00
PAYOR														
MISSING	.	.	.	.	.	.	.	.	.	.	1	100.00	1	100.00
MEDICARE	23	67.65	11	32.35	34	100.00	.	.	.	.	9	100.00	9	100.00
MEDICAID	24	77.42	7	22.58	31	100.00	.	.	.	.	.	.	.	.
BCBSM	35	62.50	21	37.50	56	100.00	1	10.00	1	10.00	8	80.00	10	100.00
TOTAL	82	67.77	39	32.23	121	100.00	1	5.00	1	5.00	18	90.00	20	100.00

DAYS WITHIN SURGICAL ADMISSIONS BY BED SIZE

BED SIZE IS OVER 250

	SURGICAL ADMISSIONS																	
	MISSING						ACUTE						NONACUTE					
	DAYS						DAYS						DAYS					
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX																		
MALE	5	71.43	2	28.57	7	100.00	310	85.40	53	14.60	363	100.00	.	.	14	21.54	51	78.46
FEMALE	.	.	5	100.00	5	100.00	355	78.37	98	21.63	453	100.00	1	1.92	11	21.15	40	76.92
TOTAL	5	41.67	7	58.33	12	100.00	665	81.50	151	18.50	816	100.00	1	0.85	25	21.37	91	77.78
AGE																		
18-25	.	.	.	.	.	.	45	81.82	10	18.18	55	100.00	.	.	1	7.69	12	92.31
26-40	1	25.00	3	75.00	4	100.00	122	86.52	19	13.48	141	100.00	.	.	2	13.33	13	86.67
41-65	4	50.00	4	50.00	8	100.00	323	79.17	85	20.83	408	100.00	1	1.52	14	21.21	51	77.27
66-	.	.	.	.	.	.	175	82.55	37	17.45	212	100.00	.	.	8	34.78	15	65.22
TOTAL	5	41.67	7	58.33	12	100.00	665	81.50	151	18.50	816	100.00	1	0.85	25	21.37	91	77.78
PAYOR																		
MISSING	.	.	.	.	.	.	5	100.00	.	.	5	100.00	.	.	.	.	.	.
MEDICARE	.	.	.	.	.	.	206	81.75	46	18.25	252	100.00	.	.	8	26.67	22	73.33
MEDICAID	.	.	.	.	.	.	22	78.57	6	21.43	28	100.00	.	.	.	.	2	100.00
BCBSM	5	41.67	7	58.33	12	100.00	432	81.36	99	18.64	531	100.00	1	1.18	17	20.00	67	78.82
TOTAL	5	41.67	7	58.33	12	100.00	665	81.50	151	18.50	816	100.00	1	0.85	25	21.37	91	77.78

(CONTINUED)

OAYS WITHIN SURGICAL ADMISSIONS BY BED SIZE

BEO SIZE IS OVER 250

.	SURGICAL ADMISSIONS	
	NONACUTE	
	TOTAL	
	NO.	%
SEX		
MALE	65	100.00
FEMALE	52	100.00
TOTAL	117	100.00
AGE		
18-25	13	100.00
26-40	15	100.00
41-65	66	100.00
66-	23	100.00
TOTAL	117	100.00
PAYOR		
MISSING	.	.
MEDICARE	30	100.00
MEOICAID	2	100.00
BCBSM	85	100.00
TOTAL	117	100.00

DAYS WITHIN SURGICAL ADMISSIONS BY OCCUPANCY RATE

OCCUPANCY RATE IS LESS 60%

	SURGICAL ADMISSIONS									
	ACUTE						NONACUTE			
	DAYS						DAYS			
	ACUTE		NONACUTE		TOTAL		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX										
FEMALE	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
AGE										
26-40	10	83.33	2	16.67	12	100.00	4	100.00	4	100.00
41-65	3	100.00	.	.	3	100.00	.	.	.	.
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00
PAYOR										
MEDICAID	10	83.33	2	16.67	12	100.00	.	.	.	.
BCBSM	3	100.00	.	.	3	100.00	4	100.00	4	100.00
TOTAL	13	86.67	2	13.33	15	100.00	4	100.00	4	100.00

DAYS WITHIN SURGICAL ADMISSIONS BY OCCUPANCY RATE

OCCUPANCY RATE IS 60% TO 80%

	SURGICAL ADMISSIONS													
	ACUTE						NONACUTE							
	DAYS						DAYS							
	ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%
SEX														
MALE	20	90.91	2	9.09	22	100.00	.	.	.	.	5	100.00	5	100.00
FEMALE	51	71.83	20	28.17	71	100.00	1	25.00	1	25.00	2	50.00	4	100.00
TOTAL	71	76.34	22	23.66	93	100.00	1	11.11	1	11.11	7	77.78	9	100.00
AGE														
18-25	6	100.00	.	.	6	100.00	1	25.00	1	25.00	2	50.00	4	100.00
26-40	16	76.19	5	23.81	21	100.00	.	.	.	.	.	.	.	.
41-65	32	74.42	11	25.58	43	100.00	.	.	.	.	.	.	.	.
66-	17	73.91	6	26.09	23	100.00	.	.	.	.	5	100.00	5	100.00
TOTAL	71	76.34	22	23.66	93	100.00	1	11.11	1	11.11	7	77.78	9	100.00
PAYOR														
MISSING	.	.	.	.	.	.	.	.	.	.	1	100.00	1	100.00
MEDICARE	22	68.75	10	31.25	32	100.00	.	.	.	.	5	100.00	5	100.00
MEDICAID	15	100.00	.	.	15	100.00	.	.	.	.	.	.	.	.
BCBSM	34	73.91	12	26.09	46	100.00	1	33.33	1	33.33	1	33.33	3	100.00
TOTAL	71	76.34	22	23.66	93	100.00	1	11.11	1	11.11	7	77.78	9	100.00

DAYS WITHIN SURGICAL ADMISSIONS BY OCCUPANCY RATE

OCCUPANCY RATE IS OVER 80%

	SURGICAL ADMISSIONS																			
	MISSING						ACUTE						NONACUTE							
	DAYS						DAYS						DAYS							
	ACUTE		NONACUTE		TOTAL		ACUTE		NONACUTE		TOTAL		MISSING		ACUTE		NONACUTE			
	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%	NO.	%		
SEX																				
MALE	5	71.43	2	28.57	7	100.00	326	84.24	61	15.76	387	100.00	.	.	14	19.18	59	80.82		
FEMALE	.	.	5	100.00	5	100.00	350	76.59	107	23.41	457	100.00	1	1.82	11	20.00	43	78.18		
TOTAL	5	41.67	7	58.33	12	100.00	676	80.09	168	19.91	844	100.00	1	0.78	25	19.53	102	79.69		
AGE																				
18-25	.	.	.	.	.	.	50	80.65	12	19.35	62	100.00	.	.	1	6.67	14	93.33		
26-40	1	25.00	3	75.00	4	100.00	121	84.62	22	15.38	143	100.00	.	.	2	11.76	15	88.24		
41-65	4	50.00	4	50.00	8	100.00	331	77.34	97	22.66	428	100.00	1	1.45	14	20.29	54	78.26		
66-	.	.	.	.	.	.	174	82.46	37	17.54	211	100.00	.	.	8	29.63	19	70.37		
TOTAL	5	41.67	7	58.33	12	100.00	676	80.09	168	19.91	844	100.00	1	0.78	25	19.53	102	79.69		
PAYOR																				
MISSING	.	.	.	.	.	.	5	100.00	.	.	5	100.00	.	.	.	.	.	.		
MEDICARE	.	.	.	.	.	.	207	81.50	47	18.50	254	100.00	.	.	8	23.53	26	76.47		
MEDICAID	.	.	.	.	.	.	31	70.45	13	29.55	44	100.00	.	.	.	.	2	100.00		
BCBSM	5	41.67	7	58.33	12	100.00	433	80.04	108	19.96	541	100.00	1	1.09	17	18.48	74	80.43		
TOTAL	5	41.67	7	58.33	12	100.00	676	80.09	168	19.91	844	100.00	1	0.78	25	19.53	102	79.69		

(CONTINUED)

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

TOTAL

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	4	100.00	7	2.34	11	3.63
NEEDS NO INSTITUTIONAL CARE	.	.	258	86.29	258	85.15
NEEDS CARE AT A LOWER LEVEL	.	.	2	0.67	2	0.66
NEEDS CARE IN A SKILLED NURSING HOME	.	.	3	1.00	3	0.99
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	2	0.67	2	0.66
PREMATURE ADMISSION	.	.	19	6.35	19	6.27
OTHER	.	.	8	2.68	8	2.64
TOTAL	4	100.00	299	100.00	303	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 1

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	1	100.00	.	.	1	4.17
NEEDS NO INSTITUTIONAL CARE	.	.	19	82.61	19	79.17
PREMATURE ADMISSION	.	.	2	8.70	2	8.33
OTHER	.	.	2	8.70	2	8.33
TOTAL	1	100.00	23	100.00	24	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 2

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	18	90.00	18	90.00
PREMATURE ADMISSION	2	10.00	2	10.00
TOTAL	20	100.00	20	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 3

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	42	100.00	42	100.00
TOTAL	42	100.00	42	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 4

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	1	20.00	1	20.00
NEEDS NO INSTITUTIONAL CARE	2	40.00	2	40.00
PREMATURE ADMISSION	2	40.00	2	40.00
TOTAL	5	100.00	5	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 5

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	19	95.00	19	95.00
PREMATURE ADMISSION	1	5.00	1	5.00
TOTAL	20	100.00	20	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 6

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	11	68.75	11	68.75
NEEDS CARE IN A SKILLED NURSING HOME	1	6.25	1	6.25
PREMATURE ADMISSION	3	18.75	3	18.75
OTHER	1	6.25	1	6.25
TOTAL	16	100.00	16	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 7

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	1	12.50	1	12.50
NEEDS NO INSTITUTIONAL CARE	6	75.00	6	75.00
NEEDS CARE IN A SKILLED NURSING HOME	1	12.50	1	12.50
TOTAL	8	100.00	8	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 8

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	1	6.67	1	6.67
NEEDS NO INSTITUTIONAL CARE	12	80.00	12	80.00
PREMATURE ADMISSION	2	13.33	2	13.33
TOTAL	15	100.00	15	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 9

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	10	83.33	10	83.33
NEEDS CARE IN A SKILLED NURSING HOME	1	8.33	1	8.33
OTHER	1	8.33	1	8.33
TOTAL	12	100.00	12	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 10

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	1	100.00	.	.	1	16.67
NEEDS NO INSTITUTIONAL CARE	.	.	5	100.00	5	83.33
TOTAL	1	100.00	5	100.00	6	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 11

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	1	100.00	.	.	1	10.00
NEEDS NO INSTITUTIONAL CARE	.	.	7	77.78	7	70.00
PREMATURE ADMISSION	.	.	2	22.22	2	20.00
TOTAL	1	100.00	9	100.00	10	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 12

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	12	92.31	12	92.31
OTHER	1	7.69	1	7.69
TOTAL	13	100.00	13	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 13

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	13	81.25	13	81.25
NEEDS CARE AT A LOWER LEVEL	2	12.50	2	12.50
OTHER	1	6.25	1	6.25
TOTAL	16	100.00	16	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 14

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	16	100.00	16	100.00
TOTAL	16	100.00	16	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 15

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	1	5.26	1	5.26
NEEDS NO INSTITUTIONAL CARE	16	84.21	16	84.21
PREMATURE ADMISSION	2	10.53	2	10.53
TOTAL	19	100.00	19	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 16

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	5	83.33	5	83.33
NEEDS CARE IN A NON-SKILLED NURSING HOME	1	16.67	1	16.67
TOTAL	6	100.00	6	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 17

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	10	76.92	10	76.92
NEEDS CARE IN A NON-SKILLED NURSING HOME	1	7.69	1	7.69
PREMATURE ADMISSION	1	7.69	1	7.69
OTHER	1	7.69	1	7.69
TOTAL	13	100.00	13	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 18

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	2	14.29	2	14.29
NEEDS NO INSTITUTIONAL CARE	11	78.57	11	78.57
PREMATURE ADMISSION	1	7.14	1	7.14
TOTAL	14	100.00	14	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 19

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	1	100.00	1	7.69	2	14.29
NEEDS NO INSTITUTIONAL CARE	.	.	11	84.62	11	78.57
OTHER	.	.	1	7.69	1	7.14
TOTAL	1	100.00	13	100.00	14	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 20

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	7	87.50	7	87.50
PREMATURE ADMISSION	1	12.50	1	12.50
TOTAL	8	100.00	8	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS

HOSPITAL 21

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	6	100.00	6	100.00
TOTAL	6	100.00	6	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY TEACHING STATUS

TEACHING STATUS IS TEACHING

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	2	100.00	4	3.81	6	5.61
NEEDS NO INSTITUTIONAL CARE	.	.	89	84.76	89	83.18
PREMATURE ADMISSION	.	.	9	8.57	9	8.41
OTHER	.	.	3	2.86	3	2.80
TOTAL	2	100.00	105	100.00	107	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY TEACHING STATUS

TEACHING STATUS IS NON TEACHING

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	2	100.00	3	1.55	5	2.55
NEEDS NO INSTITUTIONAL CARE	.	.	169	87.11	169	86.22
NEEDS CARE AT A LOWER LEVEL	.	.	2	1.03	2	1.02
NEEDS CARE IN A SKILLED NURSING HOME	.	.	3	1.55	3	1.53
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	2	1.03	2	1.02
PREMATURE ADMISSION	.	.	10	5.15	10	5.10
OTHER	.	.	5	2.58	5	2.55
TOTAL	2	100.00	194	100.00	196	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY BED SIZE

BED SIZE IS LESS 150

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	42	100.00	42	100.00
TOTAL	42	100.00	42	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY BED SIZE

BED SIZE IS 150 TO 250

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	2	100.00	2	4.44	4	8.51
NEEDS NO INSTITUTIONAL CARE	.	.	37	82.22	37	78.72
NEEDS CARE IN A SKILLED NURSING HOME	.	.	1	2.22	1	2.13
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	2	4.44	2	4.26
PREMATURE ADMISSION	.	.	1	2.22	1	2.13
OTHER	.	.	2	4.44	2	4.26
TOTAL	2	100.00	45	100.00	47	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY BED SIZE

BED SIZE IS OVER 250

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	2	100.00	5	2.36	7	3.27
NEEDS NO INSTITUTIONAL CARE	.	.	179	84.43	179	83.64
NEEOS CARE AT A LOWER LEVEL	.	.	2	0.94	2	0.93
NEEOS CARE IN A SKILLEO NURSING HOME	.	.	2	0.94	2	0.93
PREMATURE ADMISSION	.	.	18	8.49	18	8.41
OTHER	.	.	6	2.83	6	2.80
TOTAL	2	100.00	212	100.00	214	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY OCCUPANCY RATE

OCCUPANCY RATES IS LESS 60%

	MEDICAL ADMISSIONS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	42	100.00	42	100.00
TOTAL	42	100.00	42	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY OCCUPANCY RATE

OCCUPANCY RATES IS 60% TO 80%

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	1	100.00	.	.	1	1.75
NEEDS NO INSTITUTIONAL CARE	.	.	49	87.50	49	85.96
NEEDS CARE AT A LOWER LEVEL	.	.	2	3.57	2	3.51
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	2	3.57	2	3.51
PREMATURE ADMISSION	.	.	1	1.79	1	1.75
OTHER	.	.	2	3.57	2	3.51
TOTAL	1	100.00	56	100.00	57	100.00

REASONS FOR NONACUTE CARE MEDICAL ADMISSIONS
BY OCCUPANCY RATE

OCCUPANCY RATES IS OVER 80%

	MEDICAL ADMISSIONS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	3	100.00	7	3.48	10	4.90
NEEDS NO INSTITUTIONAL CARE	.	.	167	83.08	167	81.86
NEEDS CARE IN A SKILLED NURSING HOME	.	.	3	1.49	3	1.47
PREMATURE ADMISSION	.	.	18	8.96	18	8.82
OTHER	.	.	6	2.99	6	2.94
TOTAL	3	100.00	201	100.00	204	100.00

REASONS FOR NONACUTE DAYS

TOTAL

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	11	100.00	105	4.72	116	5.19
NEEDS NO INSTITUTIONAL CARE	.	.	2001	90.01	2001	89.57
NEEDS NO CARE AT ANY LEVEL	.	.	1	0.04	1	0.04
NEEDS LOWER LEVEL CARE	.	.	19	0.85	19	0.85
NEEDS CARE IN A CHRONIC DISEASE HOSPITAL	.	.	6	0.27	6	0.27
NEEDS CARE IN A SKILLED NURSING HOME	.	.	56	2.52	56	2.51
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	26	1.17	26	1.16
OTHER	.	.	9	0.40	9	0.40
TOTAL	11	100.00	2223	100.00	2234	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 1

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	22	13.92	22	13.92
NEEDS NO INSTITUTIONAL CARE	134	84.81	134	84.81
NEEDS CARE IN A SKILLED NURSING HOME	2	1.27	2	1.27
TOTAL	158	100.00	158	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 2

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	6	5.04	6	5.04
NEEDS NO INSTITUTIONAL CARE	100	84.03	100	84.03
NEEDS CARE IN A CHRONIC DISEASE HOSPITAL	6	5.04	6	5.04
NEEDS CARE IN A SKILLED NURSING HOME	7	5.88	7	5.88
TOTAL	119	100.00	119	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 3

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	248	97.64	248	97.64
NEEDS CARE IN A NON-SKILLED NURSING HOME	6	2.36	6	2.36
TOTAL	254	100.00	254	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 4

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	2	100.00	1	2.50	3	7.14
NEEDS NO INSTITUTIONAL CARE	.	.	39	97.50	39	92.86
TOTAL	2	100.00	40	100.00	42	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 5

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	2	1.37	2	1.37
NEEDS NO INSTITUTIONAL CARE	139	95.21	139	95.21
NEEDS CARE IN A SKILLED NURSING HOME	5	3.42	5	3.42
TOTAL	146	100.00	146	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 6

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	1	1.00	1	1.00
NEEDS NO INSTITUTIONAL CARE	93	93.00	93	93.00
NEEDS CARE IN A SKILLED NURSING HOME	6	6.00	6	6.00
TOTAL	100	100.00	100	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 7

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	79	90.80	79	90.80
NEEDS CARE IN A SKILLED NURSING HOME	8	9.20	8	9.20
TOTAL	87	100.00	87	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 8

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	1	1.00	1	1.00
NEEDS NO INSTITUTIONAL CARE	99	99.00	99	99.00
TOTAL	100	100.00	100	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 9

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	5	5.75	5	5.75
NEEDS NO INSTITUTIONAL CARE	80	91.95	80	91.95
NEEDS CARE IN A SKILLED NURSING HOME	2	2.30	2	2.30
TOTAL	87	100.00	87	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 10

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	2	8.33	2	8.33
NEEDS NO INSTITUTIONAL CARE	20	83.33	20	83.33
NEEDS LOWER LEVEL CARE	2	8.33	2	8.33
TOTAL	24	100.00	24	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 11

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	5	7.58	5	7.58
NEEDS NO INSTITUTIONAL CARE	59	89.39	59	89.39
NEEDS CARE IN A SKILLED NURSING HOME	2	3.03	2	3.03
TOTAL	66	100.00	66	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 12

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	9	8.91	9	8.91
NEEDS NO INSTITUTIONAL CARE	91	90.10	91	90.10
NEEDS CARE IN A NON-SKILLED NURSING HOME	1	0.99	1	0.99
TOTAL	101	100.00	101	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 13

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	5	4.00	5	4.00
NEEDS NO INSTITUTIONAL CARE	111	88.80	111	88.80
NEEDS LOWER LEVEL CARE	9	7.20	9	7.20
TOTAL	125	100.00	125	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 14

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	3	2.83	3	2.83
NEEDS NO INSTITUTIONAL CARE	98	92.45	98	92.45
NEEDS LOWER LEVEL CARE	2	1.89	2	1.89
NEEDS CARE IN A SKILLED NURSING HOME	3	2.83	3	2.83
TOTAL	106	100.00	106	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 15

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	3	100.00	11	6.08	14	7.61
NEEDS NO INSTITUTIONAL CARE	.	.	164	90.61	164	89.13
NEEDS CARE IN A SKILLED NURSING HOME	.	.	3	1.66	3	1.63
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	3	1.66	3	1.63
TOTAL	3	100.00	181	100.00	184	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 16

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	3	4.76	3	4.76
NEEDS NO INSTITUTIONAL CARE	48	76.19	48	76.19
NEEDS LOWER LEVEL CARE	3	4.76	3	4.76
NEEDS CARE IN A SKILLED NURSING HOME	5	7.94	5	7.94
NEEDS CARE IN A NON-SKILLED NURSING HOME	4	6.35	4	6.35
TOTAL	63	100.00	63	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 17

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	5	100.00	9	9.47	14	14.00
NEEOS NO INSTITUTIONAL CARE	.	.	73	76.84	73	73.00
NEEDS CARE IN A SKILLED NURSING HOME	.	.	3	3.16	3	3.00
NEEOS CARE IN A NON-SKILLEO NURSING HOME	.	.	10	10.53	10	10.00
TOTAL	5	100.00	95	100.00	100	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 18

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	1	100.00	4	2.84	5	3.52
NEEDS NO INSTITUTIONAL CARE	.	.	129	91.49	129	90.85
NEEDS CARE IN A SKILLED NURSING HOME	.	.	6	4.26	6	4.23
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	2	1.42	2	1.41
TOTAL	1	100.00	141	100.00	142	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 19

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	6	6.00	6	6.00
NEEDS NO INSTITUTIONAL CARE	85	85.00	85	85.00
OTHER	9	9.00	9	9.00
TOTAL	100	100.00	100	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 20

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	5	5.88	5	5.88
NEEDS NO INSTITUTIONAL CARE	76	89.41	76	89.41
NEEDS CARE IN A SKILLED NURSING HOME	4	4.71	4	4.71
TOTAL	85	100.00	85	100.00

REASONS FOR NONACUTE DAYS

HOSPITAL 21

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
MISSING	5	11.11	5	11.11
NEEDS NO INSTITUTIONAL CARE	36	80.00	36	80.00
NEEDS NO CARE AT ANY LEVEL	1	2.22	1	2.22
NEEDS LOWER LEVEL CARE	3	6.67	3	6.67
TOTAL	45	100.00	45	100.00

REASONS FOR NONACUTE DAYS
BY TEACHING STATUS

TEACHING STATUS IS TEACHING

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	6	100.00	60	7.42	66	8.10
NEEDS NO INSTITUTIONAL CARE	.	.	713	88.13	713	87.48
NEEDS NO CARE AT ANY LEVEL	.	.	1	0.12	1	0.12
NEEDS LOWER LEVEL CARE	.	.	5	0.62	5	0.61
NEEDS CARE IN A CHRONIC DISEASE HOSPITAL	.	.	6	0.74	6	0.74
NEEDS CARE IN A SKILLED NURSING HOME	.	.	18	2.22	18	2.21
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	6	0.74	6	0.74
TOTAL	6	100.00	809	100.00	815	100.00

REASONS FOR NONACUTE DAYS
BY TEACHING STATUS

TEACHING STATUS IS NON TEACHING

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	5	100.00	45	3.18	50	3.52
NEEDS NO INSTITUTIONAL CARE	.	.	1288	91.09	1288	90.77
NEEDS LOWER LEVEL CARE	.	.	14	0.99	14	0.99
NEEDS CARE IN A SKILLED NURSING HOME	.	.	38	2.69	38	2.68
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	20	1.41	20	1.41
OTHER	.	.	9	0.64	9	0.63
TOTAL	5	100.00	1414	100.00	1419	100.00

BED SIZE IS LESS 150

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	248	97.64	248	97.64
NEEDS CARE IN A NON-SKILLED NURSING HOME	6	2.36	6	2.36
TOTAL	254	100.00	254	100.00

BED SIZE IS 150 TO 250

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	5	100.00	20	5.42	25	6.68
NEEDS NO INSTITUTIONAL CARE	.	.	305	82.66	305	81.55
NEEDS LOWER LEVEL CARE	.	.	5	1.36	5	1.34
NEEDS CARE IN A SKILLED NURSING HOME	.	.	16	4.34	16	4.28
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	14	3.79	14	3.74
OTHER	.	.	9	2.44	9	2.41
TOTAL	5	100.00	369	100.00	374	100.00

BED SIZE IS OVER 250

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	6	100.00	85	5.31	91	5.67
NEEDS NO INSTITUTIONAL CARE	.	.	1448	90.50	1448	90.16
NEEDS NO CARE AT ANY LEVEL	.	.	1	0.06	1	0.06
NEEDS LOWER LEVEL CARE	.	.	14	0.87	14	0.87
NEEDS CARE IN A CHRONIC DISEASE HOSPITAL	.	.	6	0.37	6	0.37
NEEDS CARE IN A SKILLED NURSING HOME	.	.	40	2.50	40	2.49
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	6	0.37	6	0.37
TOTAL	6	100.00	1600	100.00	1606	100.00

REASONS FOR NONACUTE DAYS
BY OCCUPANCY RATE

TOTAL

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	11	100.00	105	4.72	116	5.19
NEEDS NO INSTITUTIONAL CARE	.	.	2001	90.01	2001	89.57
NEEDS NO CARE AT ANY LEVEL	.	.	1	0.04	1	0.04
NEEDS LOWER LEVEL CARE	.	.	19	0.85	19	0.85
NEEDS CARE IN A CHRONIC DISEASE HOSPITAL	.	.	6	0.27	6	0.27
NEEDS CARE IN A SKILLED NURSING HOME	.	.	56	2.52	56	2.51
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	26	1.17	26	1.16
OTHER	.	.	9	0.40	9	0.40
TOTAL	11	100.00	2223	100.00	2234	100.00

REASONS FOR NONACUTE DAYS
BY OCCUPANCY RATE

OCCUPANCY RATES IS LESS 60%

	ALL DAYS			
	NONACUTE		TOTAL	
	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE				
NEEDS NO INSTITUTIONAL CARE	248	97.64	248	97.64
NEEDS CARE IN A NON-SKILLED NURSING HOME	6	2.36	6	2.36
TOTAL	254	100.00	254	100.00

REASONS FOR NONACUTE DAYS
BY DCCUPANCY RATE

OCCUPANCY RATES IS 60% TO 80%

	ALL DAYS					
	MISSING		NONACUTE		TDTAL	
	NO.	%	NO.	%	NO.	%
REASONS FDR NON-ACUTE CARE						
MISSING	5	100.00	22	5.33	27	6.46
NEEDS NO INSTITUTIONAL CARE	.	.	350	84.75	350	83.73
NEEDS LOWER LEVEL CARE	.	.	16	3.87	16	3.83
NEEDS CARE IN A SKILLED NURSING HOME	.	.	11	2.66	11	2.63
NEEDS CARE IN A NDN-SKILLED NURSING HOME	.	.	14	3.39	14	3.35
TOTAL	5	100.00	413	100.00	418	100.00

REASONS FOR NONACUTE DAYS
BY OCCUPANCY RATE

OCCUPANCY RATES IS OVER 80%

	ALL DAYS					
	MISSING		NONACUTE		TOTAL	
	NO.	%	NO.	%	NO.	%
REASONS FOR NON-ACUTE CARE						
MISSING	6	100.00	83	5.33	89	5.70
NEEDS NO INSTITUTIONAL CARE	.	.	1403	90.17	1403	89.82
NEEDS NO CARE AT ANY LEVEL	.	.	1	0.06	1	0.06
NEEDS LOWER LEVEL CARE	.	.	3	0.19	3	0.19
NEEDS CARE IN A CHRONIC DISEASE HOSPITAL	.	.	6	0.39	6	0.38
NEEDS CARE IN A SKILLED NURSING HOME	.	.	45	2.89	45	2.88
NEEDS CARE IN A NON-SKILLED NURSING HOME	.	.	6	0.39	6	0.38
OTHER	.	.	9	0.58	9	0.58
TOTAL	6	100.00	1556	100.00	1562	100.00

CMS LIBRARY
3 8095 00005818 6
Bk. 3